

# Florida Business Rules - Draft Version

## EMS Agency

### **dAgency.03 - EMS Agency Name**

553 EMS Agency Name (dAgency.03) field cannot equal "Not Applicable".

554 EMS Agency Name (dAgency.03) field cannot equal "Not Reporting".

555 EMS Agency Name (dAgency.03) field cannot equal "Not Recorded".

### **dAgency.04 - EMS Agency State**

556 EMS Agency State (dAgency.04) field must match the GNIS code for the state of Florida.

### **dAgency.11 - Level of Service**

559 Level of Service (dAgency.11) cannot equal "EMT - Intermediate".

### **dAgency.23 - EMS Agency Time Zone**

577 EMS Agency Time Zone (dAgency.23) must be answered from one of the field values for this element found in the Florida Data Dictionary.

### **dAgency.24 - EMS Agency Daylight Savings Time Use**

578 EMS Agency Daylight Savings Time Use (dAgency.24) must have be answered with one of the field values listed for this element in the Florida Data Dictionary.

### **dAgency.25 - National Provider Identifier**

579 National Provider Identifier (dAgency.25) cannot equal "Not Recorded".

### **dAgency.26 - Fire Department ID Number**

580 Fire Department ID Number (dAgency.26) cannot equal "Not Recorded".

## Service Area

### **dAgency.05 - EMS Agency Service Area States**

558 EMS Agency Service Area States (dAgency.05) must have a code that matches a GNIS code for states.

### **dAgency.06 - EMS Agency Service Area County(ies)**

557 EMS Agency Service Area County(ies) (dAgency.06) must have a code that matches a GNIS code for counties.

## Statistical Information

### **dAgency.15 - Statistical Calendar Year**

560 Statistical Calendar Year (dAgency.15) cannot equal the current year or greater.

561 At least one of Statistical Calendar Year (dAgency.15) must equal the previous calendar year (current year - 1).

### **dAgency.16 - Total Primary Service Area Size**

562 Total Primary Service Area Size (dAgency.16) cannot equal "Not Applicable".

563 Total Primary Service Area (dAgency.16) cannot equal "Not Recorded".

### **dAgency.17 - Total Service Area Population**

564 Total Service Area Populateion (dAgency.17) cannot equal "Not Applicable".

565 Total Service Area Populateion (dAgency.17) cannot equal "Not Recorded".

#### **dAgency.18 - 911 EMS Call Center Volume per Year**

566 911 EMS Call Center Volume per Year (dAgency.18) cannot equal "Not Applicable".

567 911 EMC Call Center Volume per Year (dAgency.18) cannot equal "Not Recorded".

568 911 EMS Call Center Volume per Year (dAgency.18) must be less than or equal to the Total Primary Service Area Population (dAgency.17).

#### **dAgency.19 - EMS Dispatch Volume per Year**

569 EMS Dispatch Volume per Year (dAgency.19) cannot equal "Not Applicable".

570 EMS Dispatch Volume per Year (dAgency.19) cannot equal "Not Recorded".

571 EMS Dispatch Volume per Year (dAgency.19) must be less than or equal to the Total Primary Service Area Population (dAgency.17).

#### **dAgency.20 - EMS Patient Transport Volume per Year**

572 EMS Patient Transport Volume (dAgency.20) cannot equal "Not Recorded".

573 EMS Patient Transport Volume (dAgency.20) must be less than or equal to EMS Patient Contact Volume per Year (dAgency.21).

#### **dAgency.21 - EMS Patient Contact Volume per Year**

574 EMS Patient Contact Volume per Year (dAgency.21) cannot equal "Not Applicable".

575 EMS Patient Contact Volume per Year (dAgency.21) cannot equal "Not Recorded".

576 EMS Patient Contact Volume per Year (dAgency.21) must be less than or equal to the Total Primary Service Area Population (dAgency.17)

## Contact

#### **dContact.06 - Agency Contact City**

585 Agency Contact City (dContact.06) code must match a GNIS Civil Code or Populated Place code.

#### **dContact.07 - Agency Contact State**

586 Agency Contact State (dContact.07) code must match GNIS Code for states.

#### **dContact.09 - Agency Contact Country**

587 Agency Contact Country (dContact.09) must match an ANSI Country code.

#### **dContact.13 - Agency Medical Director Degree**

588 Agency Medical Director Degree (dContact.13) cannot equal "Not Applicable" when Agency Contact Type (dContact.01) has a value of "EMS Medical Director".

589 Agency Medical Director Degree (dContact.13) cannot equal "Not Recorded" when Agency Contact Type (dContact.01) has a value of "EMS Medical Director".

590 Agency Medical Director Degree (dContact.13) cannot equal "Not Reporting" when Agency Contact Type (dContact.01) has a value of "EMS Medical Director".

#### **dContact.14 - Agency Medical Director Board Certification Type**

591 Agency Medical Director Borad Certification Type (dContact.14) cannot equal "Not Applicable" when Agency Contact Type (dContact.01) has a value of "EMS Medical Director".

592 Agency Medical Director Borad Certification Type (dContact.14) cannot equal "Not Recorded" when Agency Contact Type (dContact.01) has a value of "EMS Medical Director".

593 Agency Medical Director Borad Certification Type (dContact.14) cannot equal "Not Reporting" when Agency Contact Type (dContact.01) has a value of "EMS Medical Director".

## State Configuration

### **dConfiguration.01 - State Associated with the Certification/Licensure Levels**

581 In one of the Configuration groups, the element State Associated with the Certification/Licensure Levels (dConfiguration.01) must equal the value in EMS Agency State (dAgency.04).

### **dConfiguration.03 - Procedures Permitted by the State**

582 Procedures Permitted by the State (dConfiguration.03) must equal "Not Applicable".

### **dConfiguration.04 - Medications Permitted by the State**

583 Medications Permitted by the State (dConfiguration.04) must equal "Not Applicable".

### **dConfiguration.05 - Protocols Permitted by the State**

584 Protocols Permitted by the State (dConfiguration.05) must equal "Not Applicable".

## Personnel

### **dPersonnel.01 - EMS Personnel's Last Name**

594 EMS Personnel's Last Name (dPersonnel.01) cannot equal "Not Applicable".

595 EMS Personnel's Last Name (dPersonnel.01) cannot equal "Not Recorded".

596 EMS Personnel's Last Name (dPersonnel.01) cannot equal "Not Reporting".

601 EMS Personnel's Last Name (dPersonnel.01) is required when the Personnel group is created.

### **dPersonnel.02 - EMS Personnel's First Name**

597 EMS Personnel's First Name (dPersonnel.02) cannot equal "Not Applicable".

598 EMS Personnel's First Name (dPersonnel.02) cannot equal "Not Recorded".

599 EMS Personnel's First Name (dPersonnel.02) cannot equal "Not Reporting".

600 EMS Personnel's First Name (dPersonnel.02) is required when the Personnel group is created.

### **dPersonnel.03 - EMS Personnel's Middle Name/Initial**

602 EMS Personnel's Middle Name/Initial (dPersonnel.03) cannot equal "Not Applicable".

603 EMS Personnel's Middle Name/Initial (dPersonnel.03) cannot equal "Not Recorded".

604 EMS Personnel's Middle Name/Initial (dPersonnel.03) cannot equal "Not Reporting".

### **dPersonnel.11 - EMS Personnel's Date of Birth**

605 EMS Personnel's Date of Birth (dPersonnel.11) cannot equal "Not Applicable".

606 EMS Personnel's Date of Birth (dPersonnel.11) cannot equal "Not Recorded".

607 EMS Personnel's Date of Birth (dPersonnel.11) cannot equal "Not Reporting".

608 EMS Personnel's Date of Birth (dPersonnel.11) is required when the Personnel group is created.

### **dPersonnel.12 - EMS Personnel's Gender**

609 EMS Personnel's Gender (dPersonnel.12) cannot equal "Not Applicable".

610 EMS Personnel's Gender (dPersonnel.12) cannot equal "Not Recorded".

611 EMS Personnel's Gender (dPersonnel.12) cannot equal "Not Reporting".

612 EMS Personnel's Gender (dPersonnel.12) is required when the Personnel group is created.

### **dPersonnel.13 - EMS Personnel's Race**

- 613 EMS Personnel's Race (dPersonnel.13) cannot equal "Not Recorded".
- 614 EMS Personnel's Race (dPersonnel.13) cannot equal "Not Applicable".
- 615 EMS Personnel's Race (dPersonnel.13) cannot equal "Not Reporting".
- 616 EMS Personnel's Race (dPersonnel.13) is required when the Personnel group is created.

### **dPersonnel.22 - EMS Personnel's State of Licensure**

- 617 EMS Personnel's State of Licensure (dPersonnel.22) cannot equal "Not Applicable".
- 618 EMS Personnel's State of Licensure (dPersonnel.22) cannot equal "Not Recorded".
- 619 EMS Personnel's State of Licensure (dPersonnel.22) cannot equal "Not Reporting".
- 620 EMS Personnel's State of Licensure (dPersonnel.22) is required when the Personnel group is created.

### **dPersonnel.23 - EMS Personnel's State's Licensure ID Number**

- 621 EMS Personnel's State's Licensure ID Number (dPersonnel.23) cannot equal "Not Applicable".
- 622 EMS Personnel's State's Licensure ID Number (dPersonnel.23) cannot equal "Not Recorded".
- 623 EMS Personnel's State's Licensure ID Number (dPersonnel.23) cannot equal "Not Reporting".
- 624 EMS Personnel's State's Licensure ID Number (dPersonnel.23) is required when the Personnel group is created.

### **dPersonnel.24 - EMS Personnel's State EMS Certification Licensure Level**

- 625 EMS Personnel's State EMS Certification Licensure Level (dPersonnel.24) cannot equal "Not Applicable".
- 626 EMS Personnel's State EMS Certification Licensure Level (dPersonnel.24) cannot equal "Not Recorded".
- 627 EMS Personnel's State EMS Certification Licensure Level (dPersonnel.24) cannot equal "Not Reporting".
- 628 EMS Personnel's State EMS Certification Licensure Level (dPersonnel.24) is required when the Personnel group is created.

### **dPersonnel.31 - EMS Personnel's Employment Status**

- 629 EMS Personnel's Employment Status (dPersonnel.31) cannot equal "Not Applicable".
- 630 EMS Personnel's Employment Status (dPersonnel.31) cannot equal "Not Recorded".
- 631 EMS Personnel's Employment Status (dPersonnel.31) cannot equal "Not Reporting".
- 632 EMS Personnel's Employment Status (dPersonnel.31) is required when the Personnel group is created.

### **dPersonnel.33 - EMS Personnel's Hire Date**

- 633 EMS Personnel's Hire Date (dPersonnel.33) is required when the Personnel group is created.
- 634 EMS Personnel's Hire Date (dPersonnel.33) must be less than or equal to the date of submission.

## **Event**

### **eDispatch.02 - EMD Performed**

- 1 EMD Performed (eDispatch.02) cannot equal "Not Applicable".

### **eDispatch.05 - Dispatch Priority (Patient Acuity)**

- 2 Dispatch Priority (Patient Acuity) (eDispatch.05) must be filled out when EMD Performed (eDispatch.02) has a value "Yes, With Pre-Arrival Instructions".
- 3 Dispatch Priority (Patient Acuity) (eDispatch.05) must be filled out when EMD Performed (eDispatch.02) has a value "Yes, Without Pre-Arrival Instructions".

- 4 Dispatch Priority (Patient Acuity) (eDispatch.05) must be filled out when EMD Performed (eDispatch.02) has a value "Yes, Unknown if Pre-Arrival Instructions Given".

#### **eResponse.01 - EMS Agency Number**

- 5 EMS Agency Number (eResponse.01) must equal EMS Agency Number (dAgency.02) from the demographic information.

#### **eResponse.03 - Incident Number**

- 6 Incident Number (eReponse.03) is a mandatory Florida field and cannot equal "Not Recorded".  
7 Incident Number (eReponse.03) is a mandatory Florida field and cannot equal "Not Applicable".

#### **eResponse.04 - EMS Response Number**

- 8 EMS Response Number (eResponse.04) cannot equal "Not Applicable".

#### **eResponse.06 - Standby Purpose**

- 9 Standby Purpose (eResponse.06) must be filled out when Type of Service Requested (eResponse.05) has a value of "Standby".

#### **eResponse.07 - Primary Role of the Unit**

- 10 The Primary Role of the Unit (eResponse.07) must have the value of "Air Transport", when Arrival at Destination Landing Area Date/Time (eTimes.10) has a date/time value.

#### **eResponse.08 - Type of Dispatch Delay**

- 11 Type of Dispatch Delay (eResponse.08) cannot equal "Not Applicable".  
637 Type of Dispatch Delay (eResponse.08) cannot equal a value of "Caller (Uncooperative)" and a value of "None/No Delay" at the same time.  
738 Type of Dispatch Delay (eResponse.08) cannot equal a value of "Diversion/Failure (of previous unit)" and a value of "None/No Delay" at the same time.  
739 Type of Dispatch Delay (eResponse.08) cannot equal a value of "High Call Volume" and a value of "None/No Delay" at the same time.  
740 Type of Dispatch Delay (eResponse.08) cannot equal a value of "Language Barrier" and a value of "None/No Delay" at the same time.  
741 Type of Dispatch Delay (eResponse.08) cannot equal a value of "Location (Inability to Obtain)" and a value of "None/No Delay" at the same time.  
742 Type of Dispatch Delay (eResponse.08) cannot equal a value of "No EMS Vehicles (units) Available" and a value of "None/No Delay" at the same time.  
743 Type of Dispatch Delay (eResponse.08) cannot equal a value of "Other (Not Listed)" and a value of "None/No Delay" at the same time.  
744 Type of Dispatch Delay (eResponse.08) cannot equal a value of "Technical Failure (Computer, Phone, etc)" and a value of "None/No Delay" at the same time.

#### **eTimes.01 - PSAP Call Date/Time**

- 14 PSAP Call Date/Time (eTimes.01) must be less than or equal to Dispatch Notified Date/Time (eTimes.02).  
15 PSAP Call Date/Time (eTimes.01) must be less than or equal to Unit Notified by Dispatch Date/Time (eTimes.03).

#### **eTimes.02 - Dispatch Notified Date/Time**

- 16 Dispatch Notified Date/Time (eTimes.02) must be less than or equal to Unit Notified by Dispatch Date/Time (eTimes.03).

#### **eTimes.03 - Unit Notified by Dispatch Date/Time**

- 17 Unit Notified by Dispatch Date/Time (eTimes.03) must be less than or equal to Dispatch Acknowledged Date/Time (eTimes.04).
- 18 Unit Notified by Dispatch Date/Time (eTimes.03) must be less than or equal to Unit En Route Date/Time (eTimes.05).
- 19 Unit Notified by Dispatch Date/Time (eTimes.03) must be less than or equal to Unit Arrived on Scene Date/Time (eTimes.06).
- 20 Unit Notified by Dispatch Date/Time (eTimes.03) must be less than or equal to Unit Back at Home Location Date/Time (eTimes.15).

**eTimes.04 - Dispatch Acknowledged Date/Time**

- 23 Dispatch Acknowledge Date/Time (eTimes.04) must be less than or equal to Unit En Route Date/Time (eTimes.05).

## EnRoute

**eResponse.09 - Type of Response Delay**

- 21 Type of Response Delay (eResponse.09) cannot equal "Not Applicable" when En Route Date/Time (eTimes.05) has a date/time value.
- 22 Type of Response Delay (eResponse.09) cannot equal "Not Recorded" when En Route Date/Time (eTimes.05) has a date/time value.
- 638 Type of Response Delay (eResponse.09) cannot equal a value of "Crowd" and a value of "None/No Delay" at the same time.
- 745 Type of Response Delay (eResponse.09) cannot equal a value of "Directions/Unable to Locate" and a value of "None/No Delay" at the same time.
- 746 Type of Response Delay (eResponse.09) cannot equal a value of "Distance" and a value of "None/No Delay" at the same time.
- 747 Type of Response Delay (eResponse.09) cannot equal a value of "Diversion (Different Incident)" and a value of "None/No Delay" at the same time.
- 748 Type of Response Delay (eResponse.09) cannot equal a value of "HazMat" and a value of "None/No Delay" at the same time.
- 749 Type of Response Delay (eResponse.09) cannot equal a value of "Other (Not Listed)" and a value of "None/No Delay" at the same time.
- 750 Type of Response Delay (eResponse.09) cannot equal a value of "Rendezvous Transport Unavailable" and a value of "None/No Delay" at the same time.
- 751 Type of Response Delay (eResponse.09) cannot equal a value of "Route Obstruction (e.g. train)" and a value of "None/No Delay" at the same time.
- 752 Type of Response Delay (eResponse.09) cannot equal a value of "Scene Safety (not secure for EMS)" and a value of "None/No Delay" at the same time.
- 753 Type of Response Delay (eResponse.09) cannot equal a value of "Staff Delay" and a value of "None/No Delay" at the same time.
- 754 Type of Response Delay (eResponse.09) cannot equal a value of "Traffice" and a value of "None/No Delay" at the same time.
- 755 Type of Response Delay (eResponse.09) cannot equal a value of "Vehicle Crash Involving this Unit" and a value of "None/No Delay" at the same time.
- 756 Type of Response Delay (eResponse.09) cannot equal a value of "Vehicle Failure of this Unit" and a value of "None/No Delay" at the same time.
- 757 Type of Response Delay (eResponse.09) cannot equal a value of "Weather" and a value of "None/No Delay" at the same time.
- 758 Type of Response Delay (eResponse.09) cannot equal a value of "Mechanical Issue-Unit, Equipment, etc" and a value of "None/No Delay" at the same time.
- 759 Type of Response Delay (eResponse.09) cannot equal a value of "Fight Planning" and a value of "None/No Delay" at the same time.

### **eResponse.19 - Beginning Odometer Reading of Responding Vehicle**

- 12 Beginning Odometer Reading of Responding Vehicle (eResponse.19) must be less than or equal to On-Scene Odometer Reading of Responding Vehicle (eResponse.20) when both fields have a reading.
- 13 Beginning Odometer Reading of Responding Vehicle (eResponse.19) must be less than or equal to Ending Odometer Reading of Responding Vehicle (eResponse.22) when both they both have a reading.

### **eTimes.05 - Unit En Route Date/Time**

- 24 Unit En Route Date/Time (eTimes.05) must be less than or equal to Arrived on Scene Date/Time (eTimes.06)
- 25 Unit En Route Date/Time (eTimes.05) cannot equal "Not Applicable" when Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value.
- 26 Unit En Route Date/Time (eTimes.05) cannot equal "Not Recorded" when Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value.
- 27 Unit En Route Date/Time (eTimes.05) must be less than or equal to Unit Back in Service Date/Time (eTimes.13).
- 28 Unit En Route Date/Time (eTimes.05) must be less than or equal to Unit Canceled Date/Time (eTimes.14).
- 29 Unit En Route Date/Time (eTimes.05) must be less than or equal to Unit Back at Home Location Date/Time (eTimes15).

## Scene

### **eResponse.10 - Type of Scene Delay**

- 30 Type of Scene Delay (eScene.06) cannot equal "Not Applicable" when Unit Arrived on Scene (eTimes.06) has a date/time value.
- 31 Type of Scene Delay (eScene.06) cannot equal "Not Recorded" when Unit Arrived on Scene (eTimes.06) has a date/time value.
- 639 Type of Scene Delay (eResponse.10) cannot equal a value of "Awaiting Air Unit" and a value of "None/No Delay" at the same time.
- 760 Type of Scene Delay (eResponse.10) cannot equal a value of "Awaiting Ground Unit" and a value of "None/No Delay" at the same time.
- 761 Type of Scene Delay (eResponse.10) cannot equal a value of "Crowd" and a value of "None/No Delay" at the same time.
- 762 Type of Scene Delay (eResponse.10) cannot equal a value of "Directions/Unable to Locate" and a value of "None/No Delay" at the same time.
- 763 Type of Scene Delay (eResponse.10) cannot equal a value of "Distance" and a value of "None/No Delay" at the same time.
- 764 Type of Scene Delay (eResponse.10) cannot equal a value of "Extrication" and a value of "None/No Delay" at the same time.
- 765 Type of Scene Delay (eResponse.10) cannot equal a value of "HazMat" and a value of "None/No Delay" at the same time.
- 766 Type of Scene Delay (eResponse.10) cannot equal a value of "Language Barrier" and a value of "None/No Delay" at the same time.
- 767 Type of Scene Delay (eResponse.10) cannot equal a value of "Other (Not Listed)" and a value of "None/No Delay" at the same time.
- 768 Type of Scene Delay (eResponse.10) cannot equal a value of "Patient Access" and a value of "None/No Delay" at the same time.
- 769 Type of Scene Delay (eResponse.10) cannot equal a value of "Safety - Crew/Staging" and a value of "None/No Delay" at the same time.
- 770 Type of Scene Delay (eResponse.10) cannot equal a value of "Safety - Patient" and a value of "None/No Delay" at the same time.
- 771 Type of Scene Delay (eResponse.10) cannot equal a value of "Staff Delay" and a value of "None/No Delay" at the same time.

- 772 Type of Scene Delay (eResponse.10) cannot equal a value of "Traffic" and a value of "None/No Delay" at the same time.
- 773 Type of Scene Delay (eResponse.10) cannot equal a value of "Triage/Multiple Patients" and a value of "None/No Delay" at the same time.
- 774 Type of Scene Delay (eResponse.10) cannot equal a value of "Vehicle Crash Involving this Unit" and a value of "None/No Delay" at the same time.
- 775 Type of Scene Delay (eResponse.10) cannot equal a value of "Vehicle Failure of this Unit" and a value of "None/No Delay" at the same time.
- 776 Type of Scene Delay (eResponse.10) cannot equal a value of "Weather" and a value of "None/No Delay" at the same time.
- 777 Type of Scene Delay (eResponse.10) cannot equal a value of "Mechanical Issue (Unit, Equipment, etc)" and a value of "None/No Delay" at the same time.

#### **eResponse.20 - On-Scene Odometer Reading of Responding Vehicle**

- 32 On-Scene Odometer Reading of Responding Vehicle (eResponse.20) must be less than or equal to Ending Odometer Reading of Responding Vehicle (eResponse.22) when both fields have a reading.

#### **eScene.01 - First EMS Unit on Scene**

- 33 First EMS Unit on Scene (eScene.01) cannot equal "Not Applicable" when Unit Arrived on Scene (eTimes.06) has a date/time value.
- 34 First EMS Unit on Scene (eScene.01) cannot equal "Not Recorded" when Unit Arrived on Scene (eTimes.06) has a date/time value.

#### **eScene.04 - Type of Other Service at Scene**

- 35 Type of Other Service at Scene (eScene.04) must be filled out when Other EMS or Public Safety Agencies at Scene (eScene.02) has a value.

#### **eScene.06 - Number of Patients at Scene**

- 36 Number of Patients at Scene (eScene.06) cannot equal "Not Applicable" when Unit Arrived on Scene (eTimes.06) has a date/time value.
- 37 Number of Patients at Scene (eScene.06) cannot equal "Not Recorded" when Unit Arrived on Scene (eTimes.06) has a date/time value.

#### **eScene.07 - Mass Casualty Incident**

- 38 Mass Casualty Incident (eScene.07) cannot equal "Not Applicable" when Unit Arrived on Scene (eTimes.06) has a date/time value.
- 39 Mass Casualty Incident (eScene.07) cannot equal "Not Recorded" when Unit Arrived on Scene (eTimes.06) has a date/time value.

#### **eScene.09 - Incident Location Type**

- 40 Incident Location Type (eScene.09) cannot equal "Not Applicable" when Unit Arrived on Scene (eTimes.06) has a date/time value.
- 41 Incident Location Type (eScene.09) cannot equal "Not Recorded" when Unit Arrived on Scene (eTimes.06) has a date/time value.

#### **eScene.11 - Scene GPS Location**

- 42 When Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value and Incident Country (eScene.22) has a value of "US", then at least one of the following elements must be completed:  
Scene GPS Location (eScene.11)  
Scene US National Grid Coordinates, (eScene.12)  
Mile Post or Major Roadway (eScene.14)  
Incident Street Address (eScene.15)  
Scene Cross Street or Directions (eScene.20).

#### **eScene.12 - Scene US National Grid Coordinates**

- 43 When Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value and Incident Country (eScene.22) has a value of "US", then at least one of the following elements must be completed:  
Scene GPS Location (eScene.11)  
Scene US National Grid Coordinates, (eScene.12)  
Mile Post or Major Roadway (eScene.14)  
Incident Street Address (eScene.15)  
Scene Cross Street or Directions (eScene.20).

#### **eScene.14 - Mile Post or Major Roadway**

- 44 When Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value and Incident Country (eScene.22) has a value of "US", then at least one of the following elements must be completed:  
Scene GPS Location (eScene.11)  
Scene US National Grid Coordinates, (eScene.12)  
Mile Post or Major Roadway (eScene.14)  
Incident Street Address (eScene.15)  
Scene Cross Street or Directions (eScene.20).

#### **eScene.15 - Incident Street Address**

- 45 Incident Street Address (eScene.15) cannot be left blank when Incident Apartment, Suite or Room (eScene.16) has a value.
- 46 Incident Street Address (eScene.15) cannot equal "Not Applicable" when Incident Apartment, Suite or Room (eScene.16) has a value.
- 47 Incident Street Address (eScene.15) cannot have "Not Recorded" when Incident Apartment, Suite or Room (eScene.16) has a value.
- 48 When Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value and Incident Country (eScene.22) has a value of "US", then at least one of the following elements must be completed:  
Scene GPS Location (eScene.11)  
Scene US National Grid Coordinates, (eScene.12)  
Mile Post or Major Roadway (eScene.14)  
Incident Street Address (eScene.15)  
Scene Cross Street or Directions (eScene.20).

#### **eScene.17 - Incident City**

- 49 Incident City (eScene.17) cannot equal "Not Applicable" when incident Zip Code (eScene.19) has a U.S. zip code unless Incident Country (eScene.22) has a value other than "US".
- 50 Incident City (eScene.17) cannot equal "Not Recorded" when incident Zip Code (eScene.19) has a U.S. zip code unless Incident Country (eScene.22) has a value other than "US".
- 51 Incident City (eScene.17) cannot equal "Not Reporting" when incident Zip Code (eScene.19) has a U.S. zip code unless Incident Country (eScene.22) has a value other than "US".
- 52 Incident City (eScene.17) cannot be blank when incident Zip Code (eScene.19) has a U.S. zip code unless Incident Country (eScene.22) has a value other than "US".
- 53 Incident City (eScene.17) cannot equal "Not Applicable" when Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value unless Incident Country (eScene.22) has a value other than "US".
- 54 Incident City (eScene.17) cannot be left blank when Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value unless Incident Country (eScene.22) has a value other than "US".

#### **eScene.18 - Incident State**

- 55 Incident State (eScene.18) cannot equal "Not Applicable" when Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value unless Incident Country (eScene.22) has a value other than "US".
- 56 Incident State (eScene.18) cannot equal "Not Recorded" when Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value unless Incident Country (eScene.22) has a value other than "US".

#### **eScene.19 - Incident ZIP Code**

- 57 Incident ZIP Code (eScene.19) cannot be "Not Applicable" when Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value unless Incident Country (eScene.22) has a value other than "US".

## **eScene.20 - Scene Cross Street or Directions**

- 58 When Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value and Incident Country (eScene.22) has a value of "US", then at least one of the following elements must be completed:  
Scene GPS Location (eScene.11)  
Scene US National Grid Coordinates, (eScene.12)  
Mile Post or Major Roadway (eScene.14)  
Incident Street Address (eScene.15)  
Scene Cross Street or Directions (eScene.20).

## **eScene.21 - Incident County**

- 59 Incident County (eScene.21) cannot equal "Not Applicable" when Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value unless Incident Country (eScene.22) has a value other than "US".

## **eTimes.06 - Unit Arrived on Scene Date/Time**

- 60 Unit Arrived on Scene Date/Time (eTimes.06) must be less than or equal to Arrived at Patient Date/Time (eTimes.07).
- 61 Unit Arrived on Scene Date/Time (eTimes.06) cannot equal "Not Applicable" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.
- 62 Unit Arrived on Scene Date/Time (eTimes.06) cannot equal "Not Recorded" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.
- 63 Unit Arrived on Scene Date/Time (eTimes.06) cannot equal "Not Applicable" when Unit Left Scene Date/Time (eTimes.09) has a date/time value.
- 64 Unit Arrived on Scene Date/Time (eTimes.06) must be less than or equal to Unit Left Scene Date/Time (eTimes.09).
- 65 Unit Arrived on Scene Date/Time (eTimes.06) cannot equal "Not Recorded" when Unit Left Scene Date/Time (eTimes.09) has a date/time value.
- 66 Unit Arrived on Scene (eTimes.06) must be less than or equal to Unit Back in Service Date/Time (eTimes.13).

## **eTimes.09 - Unit Left Scene Date/Time**

- 122 Unit Left Scene Date/Time (eTimes.09) must be less than or equal to Arrival at Destination Landing Area Date/Time (eTimes.10).
- 123 Unit Left Scene Date/Time (eTimes.09) must be less than or equal to Patient Arrived at Destination Date/Time (eTimes.11).
- 124 Unit Left Scene Date/Time (eTimes.09) must be less than or equal to Unit Back in Service Date/Time (eTimes.13).
- 644 Unit Left Scene Date/Time (eTimes.09) cannot equal "Not Applicable" when Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value.
- 645 Unit Left Scene Date/Time (eTimes.09) cannot equal "Not Recorded" when Unit Arrived on Scene Date/Time (eTimes.06) has a date/time value.

# Patient

## **eHistory.01 - Barriers to Patient Care**

- 73 Barriers to Patient Care (eHistory.01) cannot equal "Not Applicable" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.
- 643 Barriers to Patient Care (eHistory.01) cannot have a value of "Cultural, Custom, Religious" and a value of "None Noted" in the same patient record.
- 969 Barriers to Patient Care (eHistory.01) cannot have a value of "Developmentally Impaired" and a value of "None Noted" in the same patient record.
- 970 Barriers to Patient Care (eHistory.01) cannot have a value of "Hearing Impaired" and a value of "None Noted" in the same patient record.
- 971 Barriers to Patient Care (eHistory.01) cannot have a value of "Language" and a value of "None Noted" in the same patient record.

- 972 Barriers to Patient Care (eHistory.01) cannot have a value of "Obesity" and a value of "None Noted" in the same patient record.
- 973 Barriers to Patient Care (eHistory.01) cannot have a value of "Physical Barrier (Unable to Access patient)" and a value of "None Noted" in the same patient record.
- 974 Barriers to Patient Care (eHistory.01) cannot have a value of "Physically Impaired" and a value of "None Noted" in the same patient record.
- 975 Barriers to Patient Care (eHistory.01) cannot have a value of "Physically Restrained" and a value of "None Noted" in the same patient record.
- 976 Barriers to Patient Care (eHistory.01) cannot have a value of "Psychologically Impaired" and a value of "None Noted" in the same patient record.
- 977 Barriers to Patient Care (eHistory.01) cannot have a value of "Sight Impaired" and a value of "None Noted" in the same patient record.
- 978 Barriers to Patient Care (eHistory.01) cannot have a value of "Speech Impaired" and a value of "None Noted" in the same patient record.
- 979 Barriers to Patient Care (eHistory.01) cannot have a value of "Unattended or Unsupervised (including minors)" and a value of "None Noted" in the same patient record.
- 980 Barriers to Patient Care (eHistory.01) cannot have a value of "Unconscious" and a value of "None Noted" in the same patient record.
- 981 Barriers to Patient Care (eHistory.01) cannot have a value of "Uncooperative" and a value of "None Noted" in the same patient record.

#### **eHistory.06 - Medication Allergies**

- 74 Medication Allergies (eHistory.06) cannot equal "Not Applicable".
- 75 Medication Allergies (eHistory.06) cannot equal "Not Recorded".
- 76 Medication Allergies (eHistory.06) cannot equal "Not Reporting".

#### **eHistory.08 - Medical/Surgical History**

- 77 Medical/Surgical History (eHistory.08) cannot equal "Not Applicable".
- 78 Medical/Surgical History (eHistory.08) cannot equal "Not Recorded".
- 79 Medical/Surgical History (eHistory.08) cannot equal "Not Reporting".
- 80 Medical/Surgical History (eHistory.08) cannot have a Pertinent Negative of "Unresponsive".

#### **eHistory.12 - Current Medications**

- 81 Current Medications (eHistory.12) cannot equal "Not Applicable".
- 82 Current Medications (eHistory.12) cannot equal "Not Recorded".
- 83 Current Medications (eHistory.12) cannot equal "Not Reporting".
- 84 Current Medications (eHistory.12) cannot have a Pertinent Negative of "Unresponsive".

#### **eHistory.17 - Alcohol/Drug Use Indicators**

- 85 Alcohol/Drug Use Indicators (eHistory.17) cannot equal "Not Applicable" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

#### **ePatient.02 - Last Name**

- 86 Last Name (ePatient.02) cannot be left blank when Arrived at Patient Date/Time (eTimes.07) has a date/time value.
- 87 Last Name (ePatient.02) cannot equal "Not Applicable" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

#### **ePatient.03 - First Name**

88 First Name (ePatient.03) cannot be left blank when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

89 First Name (ePatient.03) cannot be "Not Applicable" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

#### **ePatient.07 - Patients Home County**

90 Patient's Home County (ePatient.07) cannot equal "Not Applicable" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

#### **ePatient.08 - Patients Home State**

91 Patient's Home State (ePatient.08) cannot equal "Not Applicable" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

#### **ePatient.09 - Patients Home ZIP Code**

92 Patient's Home ZIP Code (ePatient.09) cannot equal "Not Applicable" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

#### **ePatient.13 - Gender**

93 Patient's Gender (ePatient.13) cannot equal "Not Applicable" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

94 Patient's Gender (ePatient.13) cannot equal "Not Recorded" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

#### **ePatient.14 - Race**

95 Patient's Race (ePatient.14) cannot equal "Not Applicable" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

#### **ePatient.15 - Age**

96 Patient's Age (ePatient.15) cannot equal "Not Recorded" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

97 Patient's Age (ePatient.15) cannot equal "Not Applicable" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

#### **ePatient.16 - Age Units**

98 Patient's Age Units (ePatient.16) cannot equal "Not Applicable" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

99 Patient's Age Units (ePatient.16) cannot equal "Not Recorded" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

#### **eTimes.07 - Arrived at Patient Date/Time**

67 Arrived at Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Estimated Body Weight in Kilograms (eExam.01) has a value.

68 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Barriers to Patient Care (eHistory.01) has a value.

69 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Advanced Directives (eHistory.05) has a value.

70 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" value when Medication Allergies (eHistory.06) has a value.

71 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Medical/Surgical History (eHistory.08) has a value.

72 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Current Medications (eHistory.12) has a value.

100 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Alcohol/Drug Use Indicators (eHistory.17) has a value.

101	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Last Name (ePatient.02) has a value and Incident Patient Disposition (eDisposition.12) has a value of Patient Dead at Scene-No Resuscitation Attempted (With Transport).
102	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's First Name (ePatient.03) has a value and Incident Patient Disposition (eDisposition.12) has a value of Patient Dead at Scene-No Resuscitation Attempted (With Transport).
103	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Middle Initial/Name (ePatient.04) has a value and Incident Patient Disposition (eDisposition.12) has a value of Patient Dead at Scene-No Resuscitation Attempted (With Transport).
104	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home County (ePatient.07) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
105	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home State (ePatient.08) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
106	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home ZIP Code (ePatient.09) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
107	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home Country (ePatient.10) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
108	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Social Security Number (ePatient.12) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
109	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Gender (ePatient.13) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
110	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Race (ePatient.14) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
111	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age (ePatient.15) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
112	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age Units (ePatient.16) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
113	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Date of Birth (ePatient.17) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
114	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's State Issuing Driver's License (ePatient.20) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
115	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Driver's License Number (ePatient.21) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
116	Arrived at Patient Date/Time (eTimes.07) cannot equal "Not Recorded".
117	Arrived at Patient Date/Time (eTimes.07) must be less than or equal to Transfer of EMS Patient Care Date/Time (eTimes.08).
118	Arrived at Patient Date/Time (eTimes.07) must be less than or equal to Unit Left Scene Date/Time (eTimes.09).
119	Arrived at Patient Date/Time (eTimes.07) must be less than or equal to Patient Arrived at Destination Date/Time (eTimes.11).
120	Arrived at Patient Date/Time (eTimes.07) must be less than or equal to Unit Back in Service Date/Time (eTimes.13).

- 778 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Last Name (ePatient.02) has a value and Incident Patient Disposition (eDisposition.12) has a value of Patient Dead at Scene-Resuscitation Attempted (With Transport).
- 779 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Last Name (ePatient.02) has a value and Incident Patient Disposition (eDisposition.12) has a value of Patient Evaluated, No Treatment/Transport Required.
- 780 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Last Name (ePatient.02) has a value and Incident Patient Disposition (eDisposition.12) has a value of Patient Refused Evaluation/Care (With Transport).
- 781 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Last Name (ePatient.02) has a value and Incident Patient Disposition (eDisposition.12) has a value of Patient Treated, Released (AMA).
- 782 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Last Name (ePatient.02) has a value and Incident Patient Disposition (eDisposition.12) has a value of Patient Treated, Released (per protocol).
- 783 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Last Name (ePatient.02) has a value and Incident Patient Disposition (eDisposition.12) has a value of Patient Treated, Transferred Care to Another EMS Professional.
- 784 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Last Name (ePatient.02) has a value and Incident Patient Disposition (eDisposition.12) has a value of Patient Treated, Transported by EMS.
- 785 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Last Name (ePatient.02) has a value and Incident Patient Disposition (eDisposition.12) has a value of Patient Treated, Transported by Law Enforcement.
- 786 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Last Name (ePatient.02) has a value and Incident Patient Disposition (eDisposition.12) has a value of Patient Treated, Transported by Private Vehicle.
- 787 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's First Name (ePatient.03) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
- 788 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's First Name (ePatient.03) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Evaluated, No Treatment/Transport Required".
- 789 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's First Name (ePatient.03) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 790 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's First Name (ePatient.03) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (AMA)".
- 791 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's First Name (ePatient.03) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (per protocol)".
- 792 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's First Name (ePatient.03) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transferred Care to Another EMS Professional".
- 793 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's First Name (ePatient.03) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 794 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's First Name (ePatient.03) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Law Enforcement".
- 795 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's First Name (ePatient.03) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Private Vehicle".

796	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Middle Initial/Name (ePatient.04) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
797	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Middle Initial/Name (ePatient.04) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Evaluated, No Treatment/Transport Required"
798	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Middle Initial/Name (ePatient.04) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
799	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Middle Initial/Name (ePatient.04) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (AMA)".
800	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Middle Initial/Name (ePatient.04) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (per protocol)".
801	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Middle Initial/Name (ePatient.04) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transferred Care to Another EMS Professional".
802	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Middle Initial/Name (ePatient.04) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
803	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Middle Initial/Name (ePatient.04) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Law Enforcement".
804	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Middle Initial/Name (ePatient.04) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Private Vehicle".
805	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home County (ePatient.07) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
806	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home County (ePatient.07) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Evaluated, No Treatment/Transport Required".
807	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home County (ePatient.07) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
808	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home County (ePatient.07) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (AMA)".
809	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home County (ePatient.07) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (per protocol)".
810	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home County (ePatient.07) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transferred Care to Another EMS Professional".
811	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home County (ePatient.07) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
812	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home County (ePatient.07) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Law Enforcement".
813	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home County (ePatient.07) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Private Vehicle".

- 814 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home State (ePatient.08) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
- 815 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home State (ePatient.08) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Evaluated, No Treatment/Transport Required".
- 816 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home State (ePatient.08) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 817 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home State (ePatient.08) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (AMA)".
- 818 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home State (ePatient.08) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (per protocol)".
- 819 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home State (ePatient.08) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transferred Care to Another EMS Professional".
- 820 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home State (ePatient.08) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 821 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home State (ePatient.08) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Law Enforcement".
- 822 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home State (ePatient.08) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Private Vehicle".
- 823 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home ZIP Code (ePatient.09) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
- 824 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home ZIP Code (ePatient.09) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Evaluated, No Treatment/Transport Required".
- 825 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home ZIP Code (ePatient.09) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 826 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home ZIP Code (ePatient.09) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (AMA)".
- 827 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home ZIP Code (ePatient.09) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (per protocol)".
- 828 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home ZIP Code (ePatient.09) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transferred Care to Another EMS Professional".
- 829 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home ZIP Code (ePatient.09) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 830 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home ZIP Code (ePatient.09) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Law Enforcement".
- 831 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home ZIP Code (ePatient.09) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Private Vehicle".

- 832 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home Country (ePatient.10) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
- 833 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home Country (ePatient.10) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Evaluated, No Treatment/Transport Required".
- 834 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home Country (ePatient.10) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 835 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home Country (ePatient.10) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (AMA)".
- 836 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home Country (ePatient.10) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (per protocol)".
- 837 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home Country (ePatient.10) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transferred Care to Another EMS Professional".
- 838 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home Country (ePatient.10) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 839 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home Country (ePatient.10) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Law Enforcement".
- 840 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Home Country (ePatient.10) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Private Vehicle".
- 841 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Social Security Number (ePatient.12) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
- 842 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Social Security Number (ePatient.12) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Evaluated, No Treatment/Transport Required".
- 843 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Social Security Number (ePatient.12) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 844 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Social Security Number (ePatient.12) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (AMA)".
- 845 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Social Security Number (ePatient.12) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (per protocol)".
- 846 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Social Security Number (ePatient.12) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transferred Care to Another EMS Professional".
- 847 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Social Security Number (ePatient.12) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 848 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Social Security Number (ePatient.12) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Law Enforcement".
- 849 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Social Security Number (ePatient.12) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Private Vehicle".

850	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Gender (ePatient.13) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
851	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Gender (ePatient.13) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
852	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Gender (ePatient.13) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (AMA)".
853	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Gender (ePatient.13) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (per protocol)".
854	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Gender (ePatient.13) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transferred Care to Another EMS Professional".
855	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Gender (ePatient.13) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
856	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Gender (ePatient.13) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Law Enforcement".
857	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Gender (ePatient.13) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Private Vehicle".
858	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Race (ePatient.14) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
859	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Race (ePatient.14) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Evaluated, No Treatment/Transport Required".
860	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Race (ePatient.14) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
861	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Race (ePatient.14) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (AMA)".
862	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Race (ePatient.14) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (per protocol)".
863	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Race (ePatient.14) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transferred Care to Another EMS Professional".
864	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Race (ePatient.14) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
865	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Race (ePatient.14) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Law Enforcement".
866	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Race (ePatient.14) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Private Vehicle".
867	Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age (ePatient.15) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".

- 868 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age (ePatient.15) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Evaluated, No Treatment/Transport Required".
- 869 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age (ePatient.15) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 870 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age (ePatient.15) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (AMA)".
- 871 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age (ePatient.15) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (per protocol)".
- 872 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age (ePatient.15) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transferred Care to Another EMS Professional".
- 873 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age (ePatient.15) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 874 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age (ePatient.15) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Law Enforcement".
- 875 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age (ePatient.15) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Private Vehicle".
- 876 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age Units (ePatient.16) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
- 877 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age Units (ePatient.16) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Evaluated, No Treatment/Transport Required".
- 878 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age Units (ePatient.16) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 879 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age Units (ePatient.16) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (AMA)".
- 880 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age Units (ePatient.16) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (per protocol)".
- 881 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age Units (ePatient.16) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transferred Care to Another EMS Professional".
- 882 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age Units (ePatient.16) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 883 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age Units (ePatient.16) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Law Enforcement".
- 884 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Age Units (ePatient.16) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Private Vehicle".
- 885 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Date of Birth (ePatient.17) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".

- 886 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Date of Birth (ePatient.17) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Evaluated, No Treatment/Transport Required".
- 887 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Date of Birth (ePatient.17) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 888 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Date of Birth (ePatient.17) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (AMA)".
- 889 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Date of Birth (ePatient.17) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (per protocol)".
- 890 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Date of Birth (ePatient.17) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transferred Care to Another EMS Professional".
- 891 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Date of Birth (ePatient.17) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 892 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Date of Birth (ePatient.17) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Law Enforcement".
- 893 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Date of Birth (ePatient.17) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Private Vehicle".
- 894 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's State Issuing Driver's License (ePatient.20) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
- 895 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's State Issuing Driver's License (ePatient.20) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Evaluated, No Treatment/Transport Required".
- 896 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's State Issuing Driver's License (ePatient.20) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 897 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's State Issuing Driver's License (ePatient.20) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (AMA)".
- 898 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's State Issuing Driver's License (ePatient.20) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (per protocol)".
- 899 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's State Issuing Driver's License (ePatient.20) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transferred Care to Another EMS Professional".
- 900 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's State Issuing Driver's License (ePatient.20) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 901 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's State Issuing Driver's License (ePatient.20) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Law Enforcement".
- 902 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's State Issuing Driver's License (ePatient.20) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Private Vehicle".
- 903 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Driver's License Number (ePatient.21) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".

- 904 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Driver's License Number (ePatient.21) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Evaluated, No Treatment/Transport Required".
- 905 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Driver's License Number (ePatient.21) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 906 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Driver's License Number (ePatient.21) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (AMA)".
- 907 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Driver's License Number (ePatient.21) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Released (per protocol)".
- 908 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Driver's License Number (ePatient.21) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transferred Care to Another EMS Professional".
- 909 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Driver's License Number (ePatient.21) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 910 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Driver's License Number (ePatient.21) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Law Enforcement".
- 911 Arrived At Patient Date/Time (eTimes.07) cannot equal "Not Applicable" when Patient's Driver's License Number (ePatient.21) has a value and Incident Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by Private Vehicle".

#### **eTimes.08 - Transfer of EMS Patient Care Date/Time**

- 121 Transfer of EMS Patient Care Date/Time (eTimes.08) must be less than or equal to Unit Back in Service Date/Time (eTimes.13).

## Assessment

#### **eExam.01 - Estimated Body Weight in Kilograms**

- 142 Estimated Body Weight in Kilograms (eExam.01) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 143 Estimated Body Weight in Kilograms (eExam.01) cannot equal "Not Recorded" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 144 Estimated Body Weight in Kilograms (eExam.01) cannot equal "Not Reporting" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 145 Estimated Body Weight in Kilograms (eExam.01) cannot be left blank when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 146 Estimated Body Weight in Kilograms (eExam.01) cannot equal "Not Applicable" when Medication Given (eMedication.03) has an RX Norm value.
- 147 Estimated Body Weight in Kilograms (eExam.01) cannot equal "Not Reporting" when Medication Given (eMedication.03) has an RX Norm value.
- 148 Estimated Body Weight in Kilograms (eExam.01) cannot have a pertinent negative of "Unable to Complete" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 149 Estimated Body Weight in Kilograms (eExam.01) cannot equal "Not Recorded" when Medication Given (eMedication.03) has an RX Norm value.
- 150 Estimated Body Weight in Kilograms (eExam.01) cannot be left blank when Medication Given (eMedication.03) has an RX Norm value.
- 151 Estimated Body Weight in Kilograms (eExam.01) cannot have a pertinent negative of "Unable to Complete" when Medication Given (eMedication.03) has an RX Norm value.

#### **eInjury.01 - Cause of Injury**

- 152 Cause of Injury (eInjury.01) cannot equal "Not Applicable" when Mechanism of Injury (eInjury.02) has a value.
- 153 Cause of Injury (eInjury.01) cannot equal "Not Reporting" when Mechanism of Injury (eInjury.02) has a value.
- 154 Cause of Injury (eInjury.01) cannot equal "Not Applicable" when Vehicular, Pedestrian, or Other Injury Risk Factors (eInjury.04) has a value.
- 155 Cause of Injury (eInjury.01) cannot equal "Not Reporting" when Vehicular, Pedestrian, or Other Injury Risk Factors (eInjury.04) has a value.
- 156 Cause of Injury (eInjury.01) cannot equal "Not Applicable" when Main Area of the Vehicle Impacted by the Collision (eInjury.05) has a value.
- 157 Cause of Injury (eInjury.01) cannot equal "Not Reporting" when Main Area of the Vehicle Impacted by the Collision (eInjury.05) has a value.
- 158 Cause of Injury (eInjury.01) cannot equal "Not Applicable" when Location of Patient in Vehicle (eInjury.06) has a value.
- 159 Cause of Injury (eInjury.01) cannot equal "Not Reporting" when Location of Patient in Vehicle (eInjury.06) has a value.
- 160 Cause of Injury (eInjury.01) cannot equal "Not Applicable" when Use of Occupant Safety Equipment (eInjury.07) has a value.
- 161 Cause of Injury (eInjury.01) cannot equal "Not Reporting" when Use of Occupant Safety Equipment (eInjury.07) has a value.
- 162 Cause of Injury (eInjury.01) cannot equal "Not Applicable" when Airbag Deployment (eInjury.08) has a value.
- 163 Cause of Injury (eInjury.01) cannot equal "Not Reporting" when Airbag Deployment (eInjury.08) has a value.
- 164 Cause of Injury (eInjury.01) cannot equal "Not Applicable" when Height of Fall (feet) (eInjury.09) has a value.
- 165 Cause of Injury (eInjury.01) cannot equal "Not Reporting" when Height of Fall (feet) (eInjury.09) has a value.
- 166 Cause of Injury (eInjury.01) cannot equal "Not Applicable" when Possible Injury (eSituation.02) has a value of "Yes".
- 167 Cause of Injury (eInjury.01) cannot equal "Not Reporting" when Possible Injury (eSituation.02) has a value of "Yes".

#### **eInjury.06 - Location of Patient in Vehicle**

- 168 Location of Patient in Vehicle (eInjury.06) cannot be left blank when Airbag Deployment (eInjury.08) has a value.

#### **eInjury.07 - Use of Occupant Safety Equipment**

- 169 Use of Occupant Safety Equipment (eInjury.07) cannot equal "Not Applicable" when Location of Patient in Vehicle (eInjury.06) has a value.
- 170 Use of Occupant Safety Equipment (eInjury.07) cannot equal "Not Recorded" when Location of Patient in Vehicle (eInjury.06) has a value.
- 171 Use of Occupant Safety Equipment (eInjury.07) cannot equal "Not Applicable" when Airbag Deployment (eInjury.08) has a value.
- 172 Use of Occupant Safety Equipment (eInjury.07) cannot equal "Not Recorded" when Airbag Deployment (eInjury.08) has a value.

#### **eInjury.08 - Airbag Deployment**

- 173 Airbag Deployment (eInjury.08) cannot be left blank when Location of Patient in Vehicle (eInjury.06) has a value.

#### **eScene.08 - Triage Classification for MCI Patient**

- 174 Triage Classification for MCI Patient (eScene.08) cannot equal "Not Applicable" when Mass Casualty Incident (eScene.07) has a value of "Yes" and Arrived at Patient Date/Time (eTimes.07) has a date/time value.

175 Triage Classification for MCI Patient (eScene.08) cannot equal "Not Recorded" when Mass Casualty Incident (eScene.07) has a value of "Yes" and Arrived at Patient Date/Time (eTimes.07) has a date/time value.

**eSituation.01 - Date/Time of Symptom Onset/Last Normal**

176 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Applicable" when Destination Team Pre-Arrival Activation (eDisposition.24) has any "Yes" value.

177 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Recorded" when Destination Team Pre-Arrival Activation (eDisposition.24) has any "Yes" value.

178 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Applicable" when Chief Complaint Anatomic Location (eSituation.07) has value of "Adbomen".

179 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Recorded" when Chief Complaint Anatomic Location (eSituation.07) has value of "Abdomen".

180 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Applicable" when Primary Symptom (eSituation.09) has a value other than a NOT VALUE.

181 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Recorded" when Primary Symptom (eSituation.09) has a value other than a NOT VALUE.

182 Date/Time of Symptom Onset/Last Normal (eSituation.01) must be less than or equal to Unit Back in Service Date/Time (eTimes.13).

912 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Applicable" when Chief Complaint Anatomic Location (eSituation.07) has value of "Back".

913 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Applicable" when Chief Complaint Anatomic Location (eSituation.07) has value of "Chest".

914 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Applicable" when Chief Complaint Anatomic Location (eSituation.07) has value of "Extremity-Lower".

915 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Applicable" when Chief Complaint Anatomic Location (eSituation.07) has value of "Extremity-Upper".

916 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Applicable" when Chief Complaint Anatomic Location (eSituation.07) has value of "General/Global".

917 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Applicable" when Chief Complaint Anatomic Location (eSituation.07) has value of "Genitalia".

918 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Applicable" when Chief Complaint Anatomic Location (eSituation.07) has value of "Head".

919 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Applicable" when Chief Complaint Anatomic Location (eSituation.07) has value of "Neck".

920 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Recorded" when Chief Complaint Anatomic Location (eSituation.07) has value of "Back".

921 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Recorded" when Chief Complaint Anatomic Location (eSituation.07) has value of "Chest".

922 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Recorded" when Chief Complaint Anatomic Location (eSituation.07) has value of "Extremity-Lower".

923 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Recorded" when Chief Complaint Anatomic Location (eSituation.07) has value of "Extremity-Upper".

924 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Recorded" when Chief Complaint Anatomic Location (eSituation.07) has value of "General/Global".

925 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Recorded" when Chief Complaint Anatomic Location (eSituation.07) has value of "Genitalia".

926 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Recorded" when Chief Complaint Anatomic Location (eSituation.07) has value of "Head".

927 Date/Time of Symptom Onset/Last Normal (eSituation.01) cannot equal "Not Recorded" when Chief Complaint Anatomic Location (eSituation.07) has value of "Neck".

### **eSituation.02 - Possible Injury**

- 183 Possible Injury (eSituation.02) must equal "Yes" when Cause of Injury (eInjury.01) has a an ICD-10 CM value.
- 184 Possible Injury (eSituation.02) cannot equal "Not Applicable" when Date/Time of Symptom Onset/Last Normal (eSituation.01) has a date time value.
- 185 Possible Injury (eSituation.02) cannot equal "Not Recorded" when Date/Time of Symptom Onset/Last Normal (eSituation.01) has a date time value.

### **eSituation.09 - Primary Symptom**

- 186 Primary Symptom (eSituation.09) cannot equal "Not Applicable" when Other Associated Symptoms (eSituation.10) has a value other than a NOT VALUE.
- 187 Primary Symptom (eSituation.09) cannot equal "Not Recorded" when Other Associated Symptoms (eSituation.10) has a value other than a NOT VALUE.

### **eSituation.11 - Provider's Primary Impression**

- 188 Provider's Primary Impression (eSituation.11) cannot equal "Not Applicable" when Provider's Secondary Impressions (eSituation.12) has a value other than a NOT VALUE.
- 189 Provider's Primary Impression (eSituation.11) cannot equal "Not Recorded" when Provider's Secondary Impressions (eSituation.12) has a value other than a NOT VALUE.
- 190 Provider's Primary Impression (eSituation.11) cannot equal "Not Applicable" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.
- 191 Provider's Primary Impression (eSituation.11) cannot equal "Not Recorded" when Arrived at Patient Date/Time (eTimes.07) has a date/time value.

### **eSituation.12 - Provider's Secondary Impressions**

- 192 Provider's Secondary Impressions (eSituation.12) cannot equal "Not Recorded".

## Vitals

### **eVitals.01 - Date/Time Vital Signs Taken**

- 193 Date/Time Vital Signs Taken (eVitals.01) must be greater than or equal to Unit Notified by Dispatch Date/Time (eTimes.03).
- 194 Date/Time Vital Signs Taken (eVitals.01) must be greater than or equal to Arrived at Patient Date/Time (eTimes.07).
- 195 Date/Time Vital Signs Taken (eVitals.01) must be less than or equal to Unit Back in Service Date/Time (eTimes.13).
- 196 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Cardiac Rhythm/Electrocardiography (ECG) (eVitals.03) has a value other than a NOT VALUE or a Pertinent Negative.
- 197 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Cardiac Rhythm/Electrocardiography (ECG) (eVitals.03) has a value other than a NOT VALUE or a Pertinent Negative.
- 198 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and SBP (Systolic Blood Pressure) (eVitals.06) has a value other than a NOT VALUE or a Pertinent Negative.
- 199 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and SBP (Systolic Blood Pressure) (eVitals.06) has a value other than a NOT VALUE or a Pertinent Negative.
- 200 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Mean Arterial Pressure (eVitals.09) has a value.
- 201 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Mean Arterial Pressure (eVitals.09) has a value.

- 202 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Heart Rate (eVitals.10) has a value other than a NOT VALUE or a Pertinent Negative.
- 203 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Heart Rate (eVitals.10) has a value other than a NOT VALUE or a Pertinent Negative.
- 204 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Pulse Oximetry (eVitals.12) has a value other than a NOT VALUE or a Pertinent Negative.
- 205 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Pulse Oximetry (eVitals.12) has a value other than a NOT VALUE or a Pertinent Negative.
- 206 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Respiratory Rate (eVitals.14) has a value other than a NOT VALUE or a Pertinent Negative.
- 207 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Respiratory Rate (eVitals.14) has a value other than a NOT VALUE or a Pertinent Negative.
- 208 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Carbon Dioxide (CO2) (eVitals.16) has a value other than a NOT VALUE or a Pertinent Negative.
- 209 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Carbon Dioxide (CO2) (eVitals.16) has a value other than a NOT VALUE or a Pertinent Negative.
- 210 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Carbon Monoxide (CO) (eVitals.17) has a value other than a NOT VALUE or a Pertinent Negative.
- 211 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Carbon Monoxide (CO) (eVitals.17) has a value other than a NOT VALUE or a Pertinent Negative.
- 212 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Blood Glucose Level (eVitals.18) has a value other than a NOT VALUE or a Pertinent Negative.
- 213 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Blood Glucose Level (eVitals.18) has a value other than a NOT VALUE or a Pertinent Negative.
- 214 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Glasgow Coma Score - Eye (eVitals.19) has a value other than a Pertinent Negative.
- 215 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Glasgow Coma Score - Eye (eVitals.19) has a value other than a Pertinent Negative.
- 216 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Temperature (eVitals.24) has a value other than a NOT VALUE or a Pertinent Negative.
- 217 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Temperature (eVitals.24) has a value other than a NOT VALUE or a Pertinent Negative.
- 218 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Level of Responsiveness (AVPU) ( eVitals.26) has a value other than a NOT VALUE.
- 219 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Level of Responsiveness (AVPU) ( eVitals.26) has a value other than a NOT VALUE.

- 220 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Pain Score (eVitals.27) has a value other than a NOT VALUE or a Pertinent Negative.
- 221 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Pain Score (eVitals.27) has a value other than a NOT VALUE or a Pertinent Negative.
- 222 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Stroke Scale Score (eVitals.29) has a value other than a NOT VALUE or a Pertinent Negative.
- 223 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Stroke Scale Score (eVitals.29) has a value other than a NOT VALUE or a Pertinent Negative.
- 224 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Reperfusion Checklist (eVitals.31) has a value other than a NOT VALUE or a Pertinent Negative.
- 225 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Reperfusion Checklist (eVitals.31) has a value other than a NOT VALUE or a Pertinent Negative.
- 226 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and APGAR (eVitals.32) has a value other than a Pertinent Negative.
- 227 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and APGAR (eVitals.32) has a value other than a Pertinent Negative.
- 228 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Applicable" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Revised Trauma Score (eVitals.33) has a value other than a Pertinent Negative.
- 229 Date/Time Vitals Signs Taken (eVitals.01) cannot equal "Not Recorded" when Obtained Prior to this Unit's EMS Care (eVitals.02) has value of "No" and Revised Trauma Score (eVitals.33) has a value other than a Pertinent Negative.

**eVitals.02 - Obtained Prior to this Units EMS Care**

- 230 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Cardiac Rhythm/Electrocardiography (ECG) (eVitals.03) Cardiac Rhythm/Electrocardiography (ECG) (eVitals.03) has a value other than a NOT VALUE or a Pertinent Negative.
- 231 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when SBP (Systolic Blood Pressure) (eVitals.06) has a value other than a NOT VALUE or a Pertinent Negative.
- 232 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Mean Arterial Pressure (eVitals.09) has a value.
- 233 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Heart Rate (eVitals.10) has a value other than a NOT VALUE or a Pertinent Negative.
- 234 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Pulse Oximetry (eVitals.12) has a value other than a NOT VALUE or a Pertinent Negative.
- 235 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Respiratory Rate (eVitals.14) has a value other than a NOT VALUE or a Pertinent Negative.
- 236 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Carbon Dioxide (eVitals.16) has a value other than a NOT VALUE or a Pertinent Negative.
- 237 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Carbon Monoxide (eVitals.17) has a value other than a NOT VALUE or a Pertinent Negative.
- 238 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Blood Glucose Level (eVitals.18) has a value other than a NOT VALUE or a Pertinent Negative.
- 239 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Glasgow Coma Score - Eye (eVitals.19) has a value other than a Pertinent Negative.

- 240 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Temperature (eVitals.24) has a value other than a NOT VALUE or a Pertinent Negative.
- 241 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Level of Responsiveness (AVPU) ( eVitals.26) has a value other than a NOT VALUE.
- 242 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Pain Score (eVitals.27) has a value other than a NOT VALUE or a Pertinent Negative.
- 243 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Stroke Scale Score (eVitals.29) has a value other than a NOT VALUE or a Pertinent Negative.
- 244 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Reperfusion Checklist (eVitals.31) has a value other than a NOT VALUE or a Pertinent Negative.
- 245 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when APGAR (eVitals.32) has a value other than a Pertinent Negative.
- 246 Obtained Prior to this Unit's EMS Care (eVitals.02) cannot equal "Not Applicable" when Revised Trauma Score (eVitals.33) has a value other than a Pertinent Negative.

### **eVitals.03 - Cardiac Rhythm / Electrocardiography (ECG)**

- 247 Cardiac Rhythm/ Electrocardiography (ECG) (eVitals.03) cannot equal "Not Applicable" when ECG Type (eVitals.04) has a value other than a NOT VALUE.
- 248 Cardiac Rhythm/ Electrocardiography (ECG) (eVitals.03) cannot equal "Not Recorded" when ECG Type (eVitals.04) has a value other than a NOT VALUE.
- 249 Cardiac Rhythm/ Electrocardiography (ECG) (eVitals.03) cannot equal "Not Applicable" when Method of EC Interpretation (eVitals.05) has a value other than a NOT VALUE.
- 250 Cardiac Rhythm/ Electrocardiography (ECG) (eVitals.03) cannot equal "Not Recorded" when Method of EC Interpretation (eVitals.05) has a value other than a NOT VALUE.

### **eVitals.06 - SBP (Systolic Blood Pressure)**

- 251 SBP (Systolic Blood Pressure) (eVitals.06) cannot equal "Not Applicable" when DBP (Diastolic Blood Pressure) (eVitals.07) has a value other than a NOT VALUE or a Pertinent Negative.
- 252 SBP (Systolic Blood Pressure) (eVitals.06) cannot equal "Not Recorded" when DBP (Diastolic Blood Pressure) (eVitals.07) has a value other than a NOT VALUE or a Pertinent Negative.
- 253 SBP (Systolic Blood Pressure) (eVitals.06) cannot equal "Not Applicable" when Method of Blood Pressure Measurement (eVitals.08) has a value other than a NOT VALUE.
- 254 SBP (Systolic Blood Pressure) (eVitals.06) cannot equal "Not Recorded" when Method of Blood Pressure Measurement (eVitals.08) has a value other than a NOT VALUE.

### **eVitals.08 - Method of Blood Pressure Measurement**

- 255 Method of Blood Pressure Measurement (eVitals.08) cannot equal "Not Applicable" when SBP (Systolic Blood Pressure) (eVitals.06) has a value other than a NOT VALUE or Pertinent Negative.
- 256 Method of Blood Pressure Measurement (eVitals.08) cannot equal "Not Recorded" when SBP (Systolic Blood Pressure) (eVitals.06) has a value other than a NOT VALUE or Pertinent Negative.

### **eVitals.10 - Heart Rate**

- 257 Heart Rate (eVitals.10) cannot equal "Not Applicable" when Method of Heart Rate Measurement (eVitals.11) has a value.
- 258 Heart Rate (eVitals.10) cannot equal "Not Recorded" when Method of Heart Rate Measurement (eVitals.11) has a value.

### **eVitals.12 - Pulse Oximetry**

- 259 Pulse Oximetry (eVitals.01) cannot equal "Not Recorded".

### **eVitals.14 - Respiratory Rate**

- 260 Respiratory Rate (eVitals.14) cannot equal "Not Applicable" when Respiratory Effort (eVitals.15) has a value.

261 Respiratory Rate (eVitals.14) cannot equal "Not Recorded" when Respiratory Effort (eVitals.15) has a value.

#### **eVitals.16 - Carbon Dioxide (CO2)**

262 Carbon Dioxide (eVitals.16) cannot equal "Not Recorded".

#### **eVitals.17 - Carbon Monoxide (CO)**

263 Carbon Monoxide (eVitals.17) cannot equal "Not Recorded".

#### **eVitals.18 - Blood Glucose Level**

264 Blood Glucose Level (eVitals.18) cannot equal "Not Recorded".

#### **eVitals.19 - Glasgow Coma Score-Eye**

265 Glasgow Coma Score-Eye (eVitals.19) cannot equal "Not Applicable" when Total Glasgow Coma Score (eVitals.23) has a value.

266 Glasgow Coma Score-Eye (eVitals.19) cannot equal "Not Recorded" when Total Glasgow Coma Score (eVitals.23) has a value.

267 Glasgow Coma Score-Eye (eVitals.19) cannot equal "Refused" when Total Glasgow Coma Score (eVitals.23) has a value.

268 Glasgow Coma Score-Eye (eVitals.19) cannot equal "Unable to Complete" when Total Glasgow Coma Score (eVitals.23) has a value.

#### **eVitals.20 - Glasgow Coma Score-Verbal**

269 Glasgow Coma Score-Verbal (eVitals.20) cannot equal "Not Applicable" when Total Glasgow Coma Score (eVitals.23) has a value.

270 Glasgow Coma Score-Verbal (eVitals.20) cannot equal "Not Recorded" when Total Glasgow Coma Score (eVitals.23) has a value.

271 Glasgow Coma Score-Verbal (eVitals.20) cannot equal "Refused" when Total Glasgow Coma Score (eVitals.23) has a value.

272 Glasgow Coma Score-Verbal (eVitals.20) cannot equal "Unable to Complete" when Total Glasgow Coma Score (eVitals.23) has a value.

#### **eVitals.21 - Glasgow Coma Score-Motor**

273 Glasgow Coma Score-Motor (eVitals.21) cannot equal "Not Applicable" when Total Glasgow Coma Score (eVitals.23) has a value.

274 Glasgow Coma Score-Motor (eVitals.21) cannot equal "Not Recorded" when Total Glasgow Coma Score (eVitals.23) has a value.

275 Glasgow Coma Score-Motor (eVitals.21) cannot equal "Refused" when Total Glasgow Coma Score (eVitals.23) has a value.

276 Glasgow Coma Score-Motor (eVitals.21) cannot equal "Unable to Complete" when Total Glasgow Coma Score (eVitals.23) has a value.

#### **eVitals.22 - Glasgow Coma Score-Qualifier**

277 Glasgow Coma Score-Qualifier (eVitals.22) cannot equal "Not Recorded" when Total Glasgow Coma Score (eVitals.23) has a value.

278 Glasgow Coma Score-Qualifier (eVitals.22) cannot equal "Refused" when Total Glasgow Coma Score (eVitals.23) has a value.

279 Glasgow Coma Score-Qualifier (eVitals.22) cannot equal "Unable to Complete" when Total Glasgow Coma Score (eVitals.23) has a value.

280 Glasgow Coma Score-Qualifier (eVitals.22) cannot equal "Not Applicable" when Total Glasgow Coma Score (eVitals.23) has a value.

#### **eVitals.23 - Total Glasgow Coma Score**

281 Total Glasgow Coma Score (eVitals.23) cannot equal "Not Recorded".

282 Total Glasgow Coma Score (eVitals.23) cannot equal "Not Reporting".

283 Total Glasgow Coma Score (eVitals.23) cannot equal "Refused".

#### **eVitals.24 - Temperature**

284 Temperature (eVitals.24) cannot equal "Not Applicable" when Temperature Method (eVitals.25) has a

285 Temperature (eVitals.24) cannot equal "Not Recorded" when Temperature Method (eVitals.25) has a value.

286 Temperature (eVitals.24) cannot equal "Not Reporting" when Temperature Method (eVitals.25) has a value.

287 Temperature (eVitals.24) cannot be left blank when Temperature Method (eVitals.25) has a value.

#### **eVitals.26 - Level of Responsiveness (AVPU)**

288 Level of Responsiveness (AVPU) cannot be "Not Recorded".

#### **eVitals.27 - Pain Score**

289 Pain Score (eVitals.27) cannot equal "Not Applicable" when Pain Scale Type (eVitals.28) has a value.

290 Pain Score (eVitals.27) cannot equal "Not Recorded" when Pain Scale Type (eVitals.28) has a value.

#### **eVitals.28 - Pain Scale Type**

291 Pain Scale Type (eVitals.28) cannot equal "Not Applicable" when Pain Score (eVitals.27) has a value.

292 Pain Scale Type (eVitals.28) cannot equal "Not Recorded" when Pain Score (eVitals.27) has a value.

293 Pain Scale Type (eVitals.28) cannot equal "Not Reporting" when Pain Score (eVitals.27) has a value.

294 Pain Scale Type (eVitals.28) cannot be left blank when Pain Score (eVitals.27) has a value.

#### **eVitals.29 - Stroke Scale Score**

295 Stroke Scale Score (eVitals.29) cannot equal "Not Applicable" when Stroke Scale Type (eVitals.30) has a value other than a NOT VALUE.

296 Stroke Scale Score (eVitals.29) cannot equal "Not Recorded" when Stroke Scale Type (eVitals.30) has a value other than a NOT VALUE.

#### **eVitals.30 - Stroke Scale Type**

297 Stroke Scale Type (eVitals.30) cannot equal "Not Applicable" when Stroke Scale Score (eVitals.29) has a value other than a NOT VALUE or a Pertinent Negative.

298 Stroke Scale Type (eVitals.30) cannot equal "Not Recorded" when Stroke Scale Score (eVitals.29) has a value other than a NOT VALUE or a Pertinent Negative.

## Procedures

#### **eProcedures.01 - Date/Time Procedure Performed**

299 Date/Time Procedure Performed (eProcedure.01) cannot equal "Not Applicable" when Procedure (eProcedures.03) has a valid SNOMED CT Code and Procedure Performed Prior to this Unit's EMS Care (eProcedure.02) is equal to "No".

300 Date/Time Procedure Performed (eProcedure.01) cannot equal "Not Recorded" when Procedure (eProcedures.03) has a valid SNOMED CT Code and Procedure Performed Prior to this Unit's EMS Care (eProcedure.02) is equal to "No".

301 Date/Time Procedure Performed (eProcedures.01) must greater than or equal to Unit Arrived on Scene Date/Time (eTimes.06) when Procedured Performed Prior to this Unit's EMS Care (eProcedure.02) has a value of "No".

302 Date/Time Procedure Performed (eProcedures.01) must greater than or equal to Arrived at Patient Date/Time (eTimes.07) when Procedure Performed Prior to this Unit's EMS Care (eProcedure.02) is equal to "No".

303 Date/Time Procedure Performed (eProcedures.01) less than or equal to Unit Back in Service Date/Time (eTimes.13).

#### **eProcedures.02 - Procedure Performed Prior to this Units EMS Care**

304 Procedure Performed Prior to this Unit's EMS Care (eProcedure.02) cannot equal "Not Applicable" when Procedure (eProcedures.03) has a valid SNOMED CT Code.

305 Procedure Performed Prior to this Unit's EMS Care (eProcedure.02) cannot equal "Not Recorded" when Procedure (eProcedures.03) has a valid SNOMED CT Code.

#### **eProcedures.03 - Procedure**

306 Procedure (eProcedures.03) cannot equal "Not Applicable" when Date/Time Procedure Performed (eProcedures.01) has a date/time value.

307 Procedure (eProcedures.03) cannot equal "Not Applicable" when Procedure Performed Prior to this Unit's EMS Care (eProcedures.02) has a value.

308 Procedure (eProcedures.03) cannot equal "Not Recorded".

309 Procedure (eProcedures.03) cannot equal "Not Applicable" when Number of Procedure Attempts (eProcedures.05) has a value.

310 Procedure (eProcedures.03) cannot equal "Not Applicable" when Procedure Successful (eProcedures.06) has a value.

311 Procedure (eProcedures.03) cannot equal "Not Applicable" when Procedure Complication (eProcedures.07) has a value.

312 Procedure (eProcedures.03) cannot equal "Not Applicable" when Response to Procedure (eProcedures.08) has a value.

313 Procedure (eProcedures.03) cannot equal "Not Applicable" when Procedure Crew Member ID (eProcedures.09) has a value.

314 Procedure (eProcedures.03) cannot equal "Not Applicable" when Role/Type of Person Performing the Procedure (eProcedures.10) has a value.

315 Procedure (eProcedures.03) cannot equal "Not Applicable" when Procedure Authorization (eProcedures.11) has a value.

316 Procedure (eProcedures.03) cannot equal "Not Applicable" when Vascular Access Location (eProcedures.13) has a value.

#### **eProcedures.05 - Number of Procedure Attempts**

317 Number of Procedure Attempts (eProcedure.05) cannot equal "Not Applicable" when Procedure (eProcedures.03) has a valid SNOMED CT Code and no Pertinent Negatives.

318 Number of Procedure Attempts (eProcedures.05) must equal 1 when Procedure (eProcedures.03) has a valid SNOMED CT Code and no Pertinent Negatives.

319 Number of Procedure Attempts (eProcedures.05) cannot equal "Not Recorded".

#### **eProcedures.06 - Procedure Successful**

320 Procedure Successful (eProcedure.06) cannot equal "Not Applicable" when Procedure (eProcedures.03) has a valid SNOMED CT Code and no Pertinent Negatives.

321 Procedure Successful (eProcedures.06) cannot equal "Not Recorded".

#### **eProcedures.07 - Procedure Complication**

322 Procedure Complication (eProcedure.07) cannot equal "Not Applicable" when Procedure (eProcedures.03) has a valid SNOMED CT Code and no Pertinent Negatives.

323 Procedure Complication (eProcedures.07) cannot equal "Not Recorded".

#### **eProcedures.08 - Response to Procedure**

324 Response to Procedure (eProcedure.08) cannot equal "Not Applicable" when Procedure (eProcedures.03) has a valid SNOMED CT Code and no Pertinent Negatives.

325 Response to Procedure (eProcedures.08) cannot equal "Not Recorded".

### **eProcedures.10 - Role/Type of Person Performing the Procedure**

326 Role/Type of Person Performing the Procedure (eProcedure.10) cannot equal "Not Applicable" when Procedure (eProcedures.03) has a valid SNOMED CT Code and no Pertinent Negatives.

327 Role/Type of Person Performing the Procedure (eProcedures.10) cannot equal "Not Recorded".

### **eProcedures.11 - Procedure Authorization**

328 Procedure Authorization (eProcedure.11) cannot be left blank when Procedure (eProcedures.03) has a valid SNOMED CT Code and no Pertinent Negatives.

## Medications

### **eMedications.01 - Date/Time Medication Administered**

329 Date/Time Medication Administered (eMedications.01) cannot equal "Not Applicable" when Medication Given (eMedication.03) has an RX Norm value and Medication Administered Prior to this Unit's EMS Care (eMedications.02) has a value of "No".

330 Date/Time Medication Administered (eMedications.01) cannot equal "Not Recorded" when Medication Given (eMedication.03) has an RX Norm value and Medication Administered Prior to this Unit's EMS Care (eMedications.02) has a value of "No".

331 Date/Time Medication Administered (eMedications.01) must greater than or equal to Unit Arrived on Scene Date/Time (eTimes.06) when Medication Administered Prior to this Unit's EMS Care (eMedications.02) has a value of "No".

332 Date/Time Medication Administered (eMedications.01) must greater than or equal to Arrived at Patient Date/Time (eTimes.07) when Medication Administered Prior to this Unit's EMS Care (eMedications.02) has a value of "No".

333 Date/Time Medication Administered (eMedications.01) less than or equal to Unit Back in Service Date/Time (eTimes.13)

### **eMedications.02 - Medication Administered Prior to this Units EMS Care**

334 Medication Administered Prior to this Unit's EMS Care (eMedications.02) cannot equal "Not Applicable" when Medication Given (eMedications.03) has an RX Norm value and does not have a Pertinent Negative.

335 Medication Administered Prior to this Unit's EMS Care (eMedications.02) cannot equal "Not Recorded".

### **eMedications.03 - Medication Given**

336 Medication Given (eMedications.03) cannot equal "Not Applicable" when Date/Time Medication Administered (eMedications.01) has a date/time value.

337 Medication Given (eMedications.03) cannot equal "Not Applicable" when Medication Administered Prior to this Unit's EMS Care (eMedications.02) has a value.

338 Medication Given (eMedications.03) cannot equal "Not Recorded".

339 Medication Given (eMedications.03) cannot equal "Not Applicable" when Medication Administered Route (eMedications.04) has a value.

340 Medication Given (eMedications.03) cannot equal "Not Applicable" when Medication Dosage (eMedications.05) has a value.

341 Medication Given (eMedications.03) cannot equal "Not Applicable" when Medication Dosage Units (eMedications.06) has a value.

342 Medication Given (eMedications.03) cannot equal "Not Applicable" when Response to Medication (eMedications.07) has a value.

343 Medication Given (eMedications.03) cannot equal "Not Applicable" when Medication Complication (eMedications.08) has a value.

344 Medication Given (eMedications.03) cannot equal "Not Applicable" when Medication Crew (Healthcare Professionals) ID (eMedications.09) has a value.

- 345 Medication Given (eMedications.03) cannot equal "Not Applicable" when Role/Type of Person Administering Medication (eMedications.10) has a value.
- 346 Medication Given (eMedications.03) cannot equal "Not Applicable" when Medication Authorization (eMedications.11) has a value.

#### **eMedications.04 - Medication Administered Route**

- 347 Medication Administered Route (eMedications.04) cannot be left blank when Medication Given (eMedication.03) has an RX Norm value and no Pertinent Negatives.

#### **eMedications.05 - Medication Dosage**

- 348 Medication Dosage (eMedications.05) cannot equal "Not Applicable" when Medication Given (eMedication.03) has an RX Norm value and no Pertinent Negatives.
- 349 Medication Dosage (eMedications.05) cannot equal "Not Recorded".

#### **eMedications.06 - Medication Dosage Units**

- 350 Medication Dosage Units (eMedications.06) cannot equal "Not Applicable" when Medication Given (eMedication.03) has an RX Norm value and no Pertinent Negatives.
- 351 Medication Dosage Units (eMedications.06) cannot equal "Not Recorded".

#### **eMedications.07 - Response to Medication**

- 352 Response to Medication (eMedications.07) cannot equal "Not Applicable" when Medication Given (eMedication.03) has an RX Norm value and no Pertinent Negatives.

#### **eMedications.08 - Medication Complication**

- 353 Medication Complication (eMedications.08) cannot equal "Not Applicable" when Medication Given (eMedication.03) has an RX Norm value and no Pertinent Negatives.
- 354 Medication Complication (eMedications.08) cannot equal "Not Recorded".

#### **eMedications.10 - Role/Type of Person Administering Medication**

- 355 Role/Type of Person Administering Medication (eMedications.10) cannot equal "Not Applicable" when Medication Given (eMedication.03) has an RX Norm value and no Pertinent Negatives.
- 356 Role/Type of Person Administering Medication (eMedications.10) cannot equal "Not Recorded".

#### **eMedications.11 - Medication Authorization**

- 357 Medication Authorization (eMedications.11) cannot be left blank when Medication Given (eMedication.03) has an RX Norm value and no Pertinent Negatives.

## Cardiac Arrest

#### **eArrest.01 - Cardiac Arrest**

- 358 Cardiac Arrest (eArrest.01) cannot equal "Not Applicable" when Cardiac Arrest Etiology (eArrest.02) has a value other than a NOT VALUE.
- 359 Cardiac Arrest (eArrest.01) cannot equal "Not Recorded" when Cardiac Arrest Etiology (eArrest.02) has a value other than a NOT VALUE.
- 360 Cardiac Arrest (eArrest.01) cannot equal "No" when Cardiac Arrest Etiology (eArrest.02) has a value other than a NOT VALUE.
- 361 Cardiac Arrest (eArrest.01) cannot equal "Not Applicable" when Resuscitation Attempted By EMS (eArrest.03) has a value other than a NOT VALUE.
- 362 Cardiac Arrest (eArrest.01) cannot equal "Not Recorded" when Resuscitation Attempted By EMS (eArrest.03) has a value other than a NOT VALUE.
- 363 Cardiac Arrest (eArrest.01) cannot equal "No" when Resuscitation Attempted By EMS (eArrest.03) has a value other than a NOT VALUE.

- 364 Cardiac Arrest (eArrest.01) cannot equal "Not Applicable" when Arrest Witnessed By (eArrest.04) has a value other than a NOT VALUE.
- 365 Cardiac Arrest (eArrest.01) cannot equal "Not Recorded" when Arrest Witnessed By (eArrest.04) has a value other than a NOT VALUE.
- 366 Cardiac Arrest (eArrest.01) cannot equal "No" when Arrest Witnessed By (eArrest.04) has a value other than a NOT VALUE.
- 367 Cardiac Arrest (eArrest.01) cannot equal "Not Applicable" when CPR Care Provided Prior to EMS Arrival (eArrest.05) has a value other than a NOT VALUE.
- 368 Cardiac Arrest (eArrest.01) cannot equal "Not Recorded" when CPR Care Provided Prior to EMS Arrival (eArrest.05) has a value other than a NOT VALUE.
- 369 Cardiac Arrest (eArrest.01) cannot equal "Not Applicable" when AED Use Prior to EMS Arrival (eArrest.07) has a value other than a NOT VALUE.
- 370 Cardiac Arrest (eArrest.01) cannot equal "Not Recorded" when AED Use Prior to EMS Arrival (eArrest.07) has a value other than a NOT VALUE.
- 371 Cardiac Arrest (eArrest.01) cannot equal "Not Applicable" when Therapeutic Hypothermia Initiated (eArrest.10) has a value other than a NOT VALUE.
- 372 Cardiac Arrest (eArrest.01) cannot equal "Not Recorded" when Therapeutic Hypothermia Initiated (eArrest.10) has a value other than a NOT VALUE.
- 373 Cardiac Arrest (eArrest.01) cannot equal "No" when Therapeutic Hypothermia Initiated (eArrest.10) has a value other than a NOT VALUE.
- 374 Cardiac Arrest (eArrest.01) cannot equal "Not Applicable" when First monitored Arrest Rhythm of the Patient (eArrest.11) has a value other than a NOT VALUE.
- 375 Cardiac Arrest (eArrest.01) cannot equal "Not Recorded" when First monitored Arrest Rhythm of the Patient (eArrest.11) has a value other than a NOT VALUE.
- 376 Cardiac Arrest (eArrest.01) cannot equal "No" when First monitored Arrest Rhythm of the Patient (eArrest.11) has a value other than a NOT VALUE.
- 377 Cardiac Arrest (eArrest.01) cannot equal "Not Applicable" when Date/Time of Cardiac Arrest (eArrest.14) has a date/time value.
- 378 Cardiac Arrest (eArrest.01) cannot equal "Not Recorded" when Date/Time of Cardiac Arrest (eArrest.14) has a date/time value.
- 379 Cardiac Arrest (eArrest.01) cannot equal "No" when Date/Time of Cardiac Arrest (eArrest.14) has a date/time value.
- 380 Cardiac Arrest (eArrest.01) cannot equal "Not Applicable" when Cardiac Rhythm on Arrival at Destination (eArrest.17) has a value other than a NOT VALUE.
- 381 Cardiac Arrest (eArrest.01) cannot equal "Not Recorded" when Cardiac Rhythm on Arrival at Destination (eArrest.17) has a value other than a NOT VALUE.
- 382 Cardiac Arrest (eArrest.01) cannot equal "No" when Cardiac Rhythm on Arrival at Destination (eArrest.17) has a value other than a NOT VALUE.
- 383 Cardiac Arrest (eArrest.01) cannot equal "Not Applicable" when End of EMS Cardiac Arrest Event (eArrest.18) has a value other than a NOT VALUE.
- 384 Cardiac Arrest (eArrest.01) cannot equal "Not Recorded" when End of EMS Cardiac Arrest Event (eArrest.18) has a value other than a NOT VALUE.
- 385 Cardiac Arrest (eArrest.01) cannot equal "No" when End of EMS Cardiac Arrest Event (eArrest.18) has a value other than a NOT VALUE.

#### **eArrest.02 - Cardiac Arrest Etiology**

- 386 Cardiac Arrest Etiology (eArrest.02) cannot be "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, Prior to EMS Arrival".
- 387 Cardiac Arrest Etiology (eArrest.02) cannot be "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, After EMS Arrival".

#### **eArrest.03 - Resuscitation Attempted By EMS**

- 388 Resuscitation Attempted by EMS (eArrest.03) cannot be "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, Prior to EMS Arrival".
- 389 Resuscitation Attempted by EMS (eArrest.03) cannot be "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, After EMS Arrival".
- 390 Resuscitation Attempted by EMS (eArrest.03) cannot equal "Not Attempted-Considered Futile" and "Attempted Defibrillation" in the same record.
- 391 Resuscitation Attempted by EMS (eArrest.03) cannot equal "Not Attempted-Considered Futile" and "Attempted Ventilation" in the same record.
- 392 Resuscitation Attempted by EMS (eArrest.03) cannot equal "Not Attempted-Considered Futile" and "Initiated Chest Compressions" in the same record.
- 393 Resuscitation Attempted by EMS (eArrest.03) cannot equal "Not Attempted-DNR Orders" and "Attempted Defibrillation" in the same record.
- 394 Resuscitation Attempted by EMS (eArrest.03) cannot equal "Not Attempted-DNR Orders" and "Attempted Ventilation" in the same record.
- 395 Resuscitation Attempted by EMS (eArrest.03) cannot equal "Not Attempted-DNR Orders" and "Initiated Chest Compressions" in the same record.
- 396 Resuscitation Attempted by EMS (eArrest.03) cannot equal "Not Attempted-Signs of Circulation" and "Attempted Defibrillation" in the same record.
- 397 Resuscitation Attempted by EMS (eArrest.03) cannot equal "Not Attempted-Signs of Circulation" and "Attempted Ventilation" in the same record.
- 398 Resuscitation Attempted by EMS (eArrest.03) cannot equal "Not Attempted-Signs of Circulation" and "Initiated Chest Compressions" in the same record.
- 399 Resuscitation Attempted by EMS (eArrest.03) must equal "Initiated Chest Compressions" when Type of CPR Provided (eArrest.09) has a value of "Compressions-Continuous".
- 400 Resuscitation Attempted by EMS (eArrest.03) must equal "Attempted Ventilation" when Type of CPR (eArrest.09) has a value of "Ventilation-Bag Valve Mask".
- 401 Resuscitation Attempted by EMS (eArrest.03) must equal "Initiated Chest Compressions" when Type of CPR Provided (eArrest.09) has a value of "Compressions-External Band Type Device".
- 402 Resuscitation Attempted by EMS (eArrest.03) must equal "Initiated Chest Compressions" when Type of CPR Provided (eArrest.09) has a value of "Compressions-External Plunger Type Device".
- 403 Resuscitation Attempted by EMS (eArrest.03) must equal "Initiated Chest Compressions" when Type of CPR Provided (eArrest.09) has a value of "Compressions-External Thumper Type Device".
- 404 Resuscitation Attempted by EMS (eArrest.03) must equal "Initiated Chest Compressions" when Type of CPR Provided (eArrest.09) has a value of "Compressions-Intermittent with Ventilation".
- 405 Resuscitation Attempted by EMS (eArrest.03) must equal "Initiated Chest Compressions" when Type of CPR Provided (eArrest.09) has a value of "Compressions-Other Device (Not Listed)".
- 406 Resuscitation Attempted by EMS (eArrest.03) must equal "Attempted Ventilation" when Type of CPR (eArrest.09) has a value of "Ventilation-Impedance Threshold Device".
- 407 Resuscitation Attempted by EMS (eArrest.03) must equal "Attempted Ventilation" when Type of CPR (eArrest.09) has a value of "Ventilation-Mouth to Mouth".
- 408 Resuscitation Attempted by EMS (eArrest.03) must equal "Attempted Ventilation" when Type of CPR (eArrest.09) has a value of "Ventilation-Pocket Mask".
- 409 Resuscitation Attempted By EMS (eArrest.03) cannot equal "Not Applicable" when Any Return of Spontaneous Circulation (eArrest.12) has a value other than a NOT VALUE.

#### **eArrest.04 - Arrest Witnessed By**

- 411 Arrest Witness By (eArrest.04) cannot equal "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, Prior to EMS Arrival".
- 412 Arrest Witness By (eArrest.04) cannot equal "Not Recorded" when Cardiac Arrest (eArrest.01) has a value of "Yes, Prior to EMS Arrival".
- 413 Arrest Witness By (eArrest.04) cannot equal "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, After EMS Arrival".

414 Arrest Witness By (eArrest.04) cannot equal "Not Recorded" when Cardiac Arrest (eArrest.01) has a value of "Yes, After EMS Arrival".

#### **eArrest.05 - CPR Care Provided Prior to EMS Arrival**

415 CPR Care Provided Prior to EMS Arrival (eArrest.05) cannot equal "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, Prior to EMS Arrival".

416 CPR Care Provided Prior to EMS Arrival (eArrest.05) cannot equal "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, After EMS Arrival".

#### **eArrest.06 - Who Provided CPR Prior to EMS Arrival**

417 Who Provided CPR Prior to EMS Arrival (eArrest.06) cannot be left blank when CPR Care Provided Prior to EMS Arrival (eArrest.05) has a value of "Yes".

#### **eArrest.07 - AED Use Prior to EMS Arrival**

418 AED Use Prior to EMS Arrival (eArrest.07) cannot equal "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, Prior to EMS Arrival".

419 AED Use Prior to EMS Arrival (eArrest.07) cannot equal "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, After EMS Arrival".

#### **eArrest.08 - Who Used AED Prior to EMS Arrival**

420 Who Used AED Prior to EMS Arrival (eArrest.08) cannot be left blank when AED Use Prior to EMS Arrival (eArrest.07) has a value of "Yes".

#### **eArrest.10 - Therapeutic Hypothermia Initiated**

421 Therapeutic Hypothermia Initiated (eArrest.10) cannot equal "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, Prior to EMS Arrival".

422 Therapeutic Hypothermia Initiated (eArrest.10) cannot equal "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, After EMS Arrival".

#### **eArrest.11 - First Monitored Arrest Rhythm of the Patient**

423 First Monitored Rhythm of the Patient (eArrest.11) cannot equal "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, Prior to EMS Arrival".

424 First Monitored Rhythm of the Patient (eArrest.11) cannot equal "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, After EMS Arrival".

#### **eArrest.12 - Any Return of Spontaneous Circulation**

425 Any Return of Spontaneous Circulation (eArrest.12) cannot equal "Not Applicable" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Attempted Defibrillation".

426 Any Return of Spontaneous Circulation (eArrest.12) cannot equal "Not Applicable" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Attempted Ventilation".

427 Any Return of Spontaneous Circulation (eArrest.12) cannot equal "Not Applicable" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Initiated Chest Compressions".

#### **eArrest.14 - Date/Time of Cardiac Arrest**

428 Date/Time of Cardiac Arrest (eArrest.14) cannot be "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, Prior to EMS Arrival".

429 Date/Time of Cardiac Arrest (eArrest.14) cannot be "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, After EMS Arrival".

#### **eArrest.15 - Date/Time Resuscitation Discontinued**

430 Date/Time Resuscitation Discontinued (eArrest.15) cannot equal "Not Applicable" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Attempted Defibrillation".

431 Date/Time Resuscitation Discontinued (eArrest.15) cannot equal "Not Applicable" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Attempted Ventilation".

- 432 Date/Time Resuscitation Discontinued (eArrest.15) cannot equal "Not Applicable" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Initiated Chest Compressions".
- 433 Date/Time Resuscitation Discontinued (eArrest.15) cannot equal "Not Recorded" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Attempted Defibrillation".
- 434 Date/Time Resuscitation Discontinued (eArrest.15) cannot equal "Not Recorded" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Attempted Ventilation".
- 435 Date/Time Resuscitation Discontinued (eArrest.15) cannot equal "Not Recorded" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Initiated Chest Compressions".

#### **eArrest.16 - Reason CPR/Resuscitation Discontinued**

- 410 Reason CPR/Resuscitation Discontinued (eArrest.16) cannot equal "Not Applicable" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Attempted Defibrillation".
- 436 Reason CPR/Resuscitation Discontinued (eArrest.16) cannot equal "Not Applicable" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Attempted Ventilation".
- 437 Reason CPR/Resuscitation Discontinued (eArrest.16) cannot equal "Not Applicable" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Initiated Chest Compressions".
- 438 Reason CPR/Resuscitation Discontinued (eArrest.16) cannot equal "Not Recorded" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Attempted Defibrillation".
- 439 Reason CPR/Resuscitation Discontinued (eArrest.16) cannot equal "Not Recorded" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Attempted Ventilation".
- 440 Reason CPR/Resuscitation Discontinued (eArrest.16) cannot equal "Not Recorded" when Resuscitation Attempted by EMS (eArrest.03) has a value of "Initiated Chest Compressions".

#### **eArrest.17 - Cardiac Rhythm on Arrival at Destination**

- 441 Cardiac Rhythm on Arrival at Destination (eArrest.17) cannot equal "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, Prior to EMS Arrival".
- 442 Cardiac Rhythm on Arrival at Destination (eArrest.17) cannot equal "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, After EMS Arrival".

#### **eArrest.18 - End of EMS Cardiac Arrest Event**

- 443 End of EMS Cardiac Arrest Event (eArrest.18) cannot be "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, Prior to EMS Arrival".
- 444 End of EMS Cardiac Arrest Event (eArrest.18) cannot be "Not Applicable" when Cardiac Arrest (eArrest.01) has a value of "Yes, After EMS Arrival".

## Invasive Airway

#### **eAirway.01 - Indications for Invasive Airway**

- 445 Indications for Invasive Airway (eAirway.01) cannot equal "Not Applicable" when Airway Complications Encountered (eAirway.08) has a value other than a NOT VALUE.
- 446 Indications for Invasive Airway (eAirway.01) cannot be left blank when Airway Complications Encountered (eAirway.08) has a value other than a NOT VALUE.
- 447 Indications for Invasive Airway (eAirway.01) cannot equal "Not Applicable" when Suspected Reasons for Failed Airway Procedures (eAirway.09) has a value.
- 448 Indications for Invasive Airway (eAirway.01) cannot be left blank when Suspected Reasons for Failed Airway Procedures (eAirway.09) has a value.

#### **eAirway.02 - Date/Time Airway Device Placement Confirmation**

- 449 Airway Device Placement Confirmation Date/Time (eAirway.02) cannot equal "Not Applicable" when Airway Device Being Confirmed (eAirway.03) has a value other than a NOT VALUE.
- 450 Airway Device Placement Confirmation Date/Time (eAirway.02) cannot equal "Not Recorded" when Airway Device Being Confirmed (eAirway.03) has a value other than a NOT VALUE.

- 451 Airway Device Placement Confirmation Date/Time (eAirway.02) cannot equal "Not Reporting" when Airway Device Being Confirmed (eAirway.03) has a value other than a NOT VALUE.
- 452 Airway Device Placement Confirmation Date/Time (eAirway.02) cannot be left blank when Airway Device Being Confirmed (eAirway.03) has a value other than a NOT VALUE.

#### **eAirway.03 - Airway Device Being Confirmed**

- 453 Airway Device Being Confirmed (eAirway.03) cannot equal "Not Applicable" when Airway Device Placement Confirmation Date/Time (eAirway.02) has a date/time value.
- 454 Airway Device Being Confirmed (eAirway.03) cannot equal "Not Recorded" when Airway Device Placement Confirmation Date/Time (eAirway.02) has a date/time value.
- 455 Airway Device Being Confirmed (eAirway.03) cannot equal "Not Reporting" when Airway Device Placement Confirmation Date/Time (eAirway.02) has a date/time value.
- 456 Airway Device Being Confirmed (eAirway.03) cannot be left blank when Airway Device Placement Confirmation Date/Time (eAirway.02) has a date/time value.

#### **eAirway.04 - Airway Device Placement Confirmed Method**

- 457 Airway Device Placement Confirmed Method (eAirway.04) cannot equal "Not Applicable" when Airway Device Placement Confirmation Date/Time (eAirway.02) has a date/time value.
- 458 Airway Device Placement Confirmed Method (eAirway.04) cannot equal "Not Recorded" when Airway Device Placement Confirmation Date/Time (eAirway.02) has a date/time value.
- 459 Airway Device Placement Confirmed Method (eAirway.04) cannot equal "Not Reporting" when Airway Device Placement Confirmation Date/Time (eAirway.02) has a date/time value.
- 460 Airway Device Placement Confirmed Method (eAirway.04) cannot be left blank when Airway Device Placement Confirmation Date/Time (eAirway.02) has a date/time value.
- 461 Airway Device Placement Confirmed Method (eAirway.04) cannot equal "Not Applicable" when Airway Device Being Confirmed (eAirway.03) has a value other than a NOT VALUE.
- 462 Airway Device Placement Confirmed Method (eAirway.04) cannot equal "Not Recorded" when Airway Device Being Confirmed (eAirway.03) has a value other than a NOT VALUE.
- 463 Airway Device Placement Confirmed Method (eAirway.04) cannot equal "Not Reporting" when Airway Device Being Confirmed (eAirway.03) has a value other than a NOT VALUE.
- 464 Airway Device Placement Confirmed Method (eAirway.04) cannot be left blank when Airway Device Being Confirmed (eAirway.03) has a value other than a NOT VALUE.

## Transport

#### **eDisposition.02 - Destination/Transferred To, Code**

- 465 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
- 466 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Recorded" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
- 467 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Reporting" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
- 468 Destination/Transferred to Code (eDisposition.02) cannot be left blank when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
- 469 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
- 470 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Recorded" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".

- 471 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Reporting" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
- 472 Destination/Transferred to Code (eDisposition.02) cannot be left blank when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
- 473 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 474 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Recorded" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 475 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Reporting" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 476 Destination/Transferred to Code (eDisposition.02) cannot be left blank when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 477 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 478 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Recorded" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 479 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Reporting" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 480 Destination/Transferred to Code (eDisposition.02) cannot be left blank when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
- 481 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) has a value of "Transport of Body Parts or Organs Only".
- 482 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Recorded" when Incident Patient/Disposition (eDisposition.12) has a value of "Transport of Body Parts or Organs Only".
- 483 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Reporting" when Incident Patient/Disposition (eDisposition.12) has a value of "Transport of Body Parts or Organs Only".
- 484 Destination/Transferred to Code (eDisposition.02) cannot be left blank when Incident Patient/Disposition (eDisposition.12) has a value of "Transport of Body Parts or Organs Only".
- 485 Destination/Transferred to Code equal an EMSTARS Facility Code for an EMS Agency when Transfer of EMS Patient Care Date/Time (eTimes.08) has a date/time value and Incident/Patient Disposition (eDisposition.12) equals "Patient Treated, Transferred Care to Another EMS Professional".
- 486 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Applicable" when Patient Arrived at Destination (eTimes.11) has a date/time value.
- 487 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Recorded" when Patient Arrived at Destination (eTimes.11) has a date/time value.
- 488 Destination/Transferred to Code (eDisposition.02) cannot equal "Not Reporting" when Patient Arrived at Destination (eTimes.11) has a date/time value.
- 489 Destination/Transferred to Code (eDisposition.02) cannot be left blank when Patient Arrived at Destination (eTimes.11) has a date/time value.

#### **eDisposition.03 - Destination Street Address**

- 490 Destination Street Address (eDisposition.03) cannot be left blank when Destinations Transferred To Code (eDisposition.02) is not a valid code from the supplied list and Incident/Patient Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".
- 491 Destination Street Address (eDisposition.03) cannot be left blank when Destinations Transferred To Code (eDisposition.02) equals "VA or Military Hospital" and Incident/Patient Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".

#### **eDisposition.04 - Destination City**

- 492 Destination City (eDisposition.04) cannot be left blank when Destinations Transferred To Code (eDisposition.02) is not a valid code from the supplied list and Incident/Patient Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".

493 Destination City (eDisposition.04) cannot be left blank when Destinations Transferred To Code (eDisposition.02) equals "VA or Military Hospital" and Incident/Patient Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".

#### **eDisposition.05 - Destination State**

494 Destination State (eDisposition.05) cannot equal "Not Applicable" when Destinations Transferred To Code (eDisposition.02) is not a valid code from the supplied list and Incident/Patient Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".

495 Destination State (eDisposition.05) cannot equal "Not Applicable" when Destinations Transferred To Code (eDisposition.02) equals "VA or Military Hospital" and Incident/Patient Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".

#### **eDisposition.06 - Destination County**

496 Destination County (eDisposition.06) cannot equal "Not Applicable" when Destinations Transferred To Code (eDisposition.02) is not a valid code from the supplied list and Incident/Patient Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".

497 Destination County (eDisposition.06) cannot equal "Not Applicable" when Destinations Transferred To Code (eDisposition.02) equals "VA or Military Hospital" and Incident/Patient Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".

#### **eDisposition.07 - Destination ZIP Code**

498 Destination ZIP Code (eDisposition.07) cannot equal "Not Applicable" when Destinations Transferred To Code (eDisposition.02) is not a valid code from the supplied list and Incident/Patient Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".

499 Destination ZIP Code (eDisposition.07) cannot be "Not Applicable" when Destinations Transferred To Code (eDisposition.02) is VA or Military Hospital and Incident/Patient Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".

#### **eDisposition.11 - Number of Patients Transported in this EMS Unit**

500 Number of Patients Transported in this EMS Unit (eDisposition.11) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) equals "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".

501 Number of Patients Transported in this EMS Unit (eDisposition.11) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) equals "Patient Dead at Scene-Resuscitation Attempted (With Transport)".

502 Number of Patients Transported in this EMS Unit (eDisposition.11) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) equals "Patient Refused Evaluation/Care (With Transport)".

503 Number of Patients Transported in this EMS Unit (eDisposition.11) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".

#### **eDisposition.14 - Position of Patient During Transport**

505 Position of Patient During Transport (eDisposition.14) cannot be left blank when Incident Patient Disposition (eDisposition.12) has a value of Patient Treated, Transported by EMS and Age (ePatient.15) has a value less than 8 and Age Units (ePatient.16) has a value of "Years".

506 Position of Patient During Transport (eDisposition.14) cannot be left blank when Incident Patient Disposition (eDisposition.12) has a value of Patient Treated, Transported by EMS and Age (ePatient.15) has a value less than 96 and Age Units (ePatient.16) has a value of "Months".

507 Position of Patient During Transport (eDisposition.14) cannot be left blank when Incident Patient Disposition (eDisposition.12) has a value of Patient Treated, Transported by EMS and Age (ePatient.15) has a value less than 120 and Age Units (ePatient.16) has a value of "Minutes".

508 Position of Patient During Transport (eDisposition.14) cannot be left blank when Incident Patient Disposition (eDisposition.12) has a value of Patient Treated, Transported by EMS and Age (ePatient.15) has a value less than 120 and Age Units (ePatient.16) has a value of "Hours".

509 Position of Patient During Transport (eDisposition.14) cannot be left blank when Incident Patient Disposition (eDisposition.12) has a value of Patient Treated, Transported by EMS and Age (ePatient.15) has a value less than 120 and Age Units (ePatient.16) has a value of "Days".

### **eDisposition.17 - Transport Mode from Scene**

- 510 Transport Mode from Scene (eDisposition.17) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) equals "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
- 511 Transport Mode from Scene (eDisposition.17) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) equals "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
- 512 Transport Mode from Scene (eDisposition.17) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) equals "Patient Refused Evaluation/Care (With Transport)".
- 513 Transport Mode from Scene (eDisposition.17) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".
- 514 Transport Mode from Scene (eDisposition.17) cannot equal "Not Recorded" when Incident Patient/Disposition (eDisposition.12) equals "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
- 515 Transport Mode from Scene (eDisposition.17) cannot equal "Not Recorded" when Incident Patient/Disposition (eDisposition.12) equals "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
- 516 Transport Mode from Scene (eDisposition.17) cannot equal "Not Recorded" when Incident Patient/Disposition (eDisposition.12) equals "Patient Refused Evaluation/Care (With Transport)".
- 517 Transport Mode from Scene (eDisposition.17) cannot equal "Not Recorded" when Incident Patient/Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".
- 518 Transport Mode Descriptors (eDisposition.17) cannot equal "Not Applicable" when Additional Transport Mode Descriptors (eDisposition.18) has a value other than NOT VALUE.
- 519 Transport Mode Descriptors (eDisposition.17) cannot equal "Not Recorded" when Additional Transport Mode Descriptors (eDisposition.18) has a value other than NOT VALUE.

### **eDisposition.20 - Reason for Choosing Destination**

- 520 Reason for Choosing Destination (eDisposition.20) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) equals "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
- 521 Reason for Choosing Destination (eDisposition.20) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) equals "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
- 522 Reason for Choosing Destination (eDisposition.20) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) equals "Patient Refused Evaluation/Care (With Transport)".
- 523 Reason for Choosing Destination (eDisposition.20) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".
- 524 Reason for Choosing Destination (eDisposition.20) cannot equal "Not Recorded" when Incident Patient/Disposition (eDisposition.12) equals "Patient Dead at Scene-No Resuscitation Attempted (With Transport)".
- 525 Reason for Choosing Destination (eDisposition.20) cannot equal "Not Recorded" when Incident Patient/Disposition (eDisposition.12) equals "Patient Dead at Scene-Resuscitation Attempted (With Transport)".
- 526 Reason for Choosing Destination (eDisposition.20) cannot equal "Not Recorded" when Incident Patient/Disposition (eDisposition.12) equals "Patient Refused Evaluation/Care (With Transport)".
- 527 Reason for Choosing Destination (eDisposition.20) cannot equal "Not Recorded" when Incident Patient/Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".

### **eDisposition.21 - Type of Destination**

- 641 Type of Destination (eDisposition.21) cannot equal "Not Recorded" when Incident/Patient Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".
- 642 Type of Destination (eDisposition.21) cannot equal "Not Applicable" when Incident/Patient Disposition (eDisposition.12) equals "Patient Treated, Transported by EMS".

## eResponse.11 - Type of Transport Delay

635	Type of Transport Delay (eResponse.11) cannot equal a value of "Crowd" and a value of "None/No Delay" at the same time.
930	Type of Transport Delay (eResponse.11) cannot equal a value of "Directions/Unable to Locate" and a value of "None/No Delay" at the same time.
931	Type of Transport Delay (eResponse.11) cannot equal a value of "Distance" and a value of "None/No Delay" at the same time.
932	Type of Transport Delay (eResponse.11) cannot equal a value of "Diversion" and a value of "None/No Delay" at the same time.
933	Type of Transport Delay (eResponse.11) cannot equal a value of "HazMat" and a value of "None/No Delay" at the same time.
934	Type of Transport Delay (eResponse.11) cannot equal a value of "Other (Not Listed)" and a value of "None/No Delay" at the same time.
935	Type of Transport Delay (eResponse.11) cannot equal a value of "Rendezvous" and a value of "None/No Delay" at the same time.
936	Type of Transport Delay (eResponse.11) cannot equal a value of "Route Obstruction (e.g. Train)" and a value of "None/No Delay" at the same time.
937	Type of Transport Delay (eResponse.11) cannot equal a value of "Safety" and a value of "None/No Delay" at the same time.
938	Type of Transport Delay (eResponse.11) cannot equal a value of "Staff Delay" and a value of "None/No Delay" at the same time.
939	Type of Transport Delay (eResponse.11) cannot equal a value of "Traffic" and a value of "None/No Delay" at the same time.
940	Type of Transport Delay (eResponse.11) cannot equal a value of "Vehicle Crash Involving this Unit" and a value of "None/No Delay" at the same time.
941	Type of Transport Delay (eResponse.11) cannot equal a value of "Vehicle Failure of this Unit" and a value of "None/No Delay" at the same time.
942	Type of Transport Delay (eResponse.11) cannot equal a value of "Weather" and a value of "None/No Delay" at the same time.
943	Type of Transport Delay (eResponse.11) cannot equal a value of "Patient Condition Change (e.g. Unit Stopped)" and a value of "None/No Delay" at the same time.
959	Type of Transport Delay (eResponse.11) cannot equal a value of "Not Applicable" when Incident/Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene - No Resuscitation Attempted (With Transport)".
960	Type of Transport Delay (eResponse.11) cannot equal a value of "Not Recorded" when Incident/Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene - No Resuscitation Attempted (With Transport)".
961	Type of Transport Delay (eResponse.11) cannot equal a value of "Not Applicable" when Incident/Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene - Resuscitation Attempted (With Transport)".
962	Type of Transport Delay (eResponse.11) cannot equal a value of "Not Recorded" when Incident/Patient Disposition (eDisposition.12) has a value of "Patient Dead at Scene - Resuscitation Attempted (With Transport)".
963	Type of Transport Delay (eResponse.11) cannot equal a value of "Not Applicable" when Incident/Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
964	Type of Transport Delay (eResponse.11) cannot equal a value of "Not Recorded" when Incident/Patient Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
965	Type of Transport Delay (eResponse.11) cannot equal a value of "Not Applicable" when Incident/Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".
966	Type of Transport Delay (eResponse.11) cannot equal a value of "Not Recorded" when Incident/Patient Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".

- 967 Type of Transport Delay (eResponse.11) cannot equal a value of "Not Applicable" when Incident/Patient Disposition (eDisposition.12) has a value of "Transport of Body Parts or Organs Only".
- 968 Type of Transport Delay (eResponse.11) cannot equal a value of "Not Recorded" when Incident/Patient Disposition (eDisposition.12) has a value of "Transport of Body Parts or Organs Only".

#### **eResponse.21 - Patient Destination Odometer Reading of Responding Vehicle**

- 528 Patient Destination Odometer Reading of Responding Vehicle (eResponse.21) must be greater or equal to On-Scene Odometer Reading of Responding Vehicle (eResponse.20).
- 529 Patient Destination Odometer Reading of Responding Vehicle (eResponse.21) must be less than or equal to Ending Odometer Reading of Responding Vehicle (eResponse.22).

#### **eTimes.10 - Arrival at Destination Landing Area Date/Time**

- 125 Arrival at Destination Landing Area Date/Time (eTimes.10) must be less than or equal to Patient Arrived at Destination Date/Time (eTimes.11).
- 530 Arrival at Destination Landing Area Date/Time (eTimes.10) must be less than or equal to Unit Back in Service Date/Time (eTimes.13).

#### **eTimes.11 - Patient Arrived at Destination Date/Time**

- 531 Patient Arrived at Destination Date/Time (eTimes.11) cannot equal "Not Applicable" when Destination Patient Transfer of Care Date/Time (eTimes.12) has a date/time value.
- 532 Patient Arrived at Destination Date/Time (eTimes.11) must be less than or equal to than Destination Patient Transfer of Care Date/Time (eTimes.12).
- 533 Patient Arrived at Destination Date/Time (eTimes.11) cannot equal "Not Recorded" when Destination Patient Transfer of Care Date/Time (eTimes.12) has a date/time value.
- 534 Patient Arrived at Destination (eTimes.11) must be less than or equal to Unit Back in Service Date/Time (eTimes.13).

#### **eTimes.12 - Destination Patient Transfer of Care Date/Time**

- 535 Destination Patient Transfer of Care Date/Time (eTimes.12) cannot equal "Not Applicable" when Patient Arrived at Destination Date/Time (eTimes.11) has a date/time value.
- 536 Destination Patient Transfer of Care Date/Time (eTimes.12) must be less than or equal to Unit Back in Service Date/Time (eTimes.13).
- 552 Destination Patient Transfer of Care Date/Time (eTimes.12) cannot equal "Not Recorded" when Patient Arrived at Destination Date/Time (eTimes.11) has a date/time value.

## Alerts

#### **ceAddTraumaCriteria - Additional Trauma Triage Criteria**

- 730 Additional Trauma Center Criteria must have a value when Destination Team Pre-Arrival Activation (eDisposition.25) has a value of 'Yes-Adult Trauma' and (Trauma Center Criteria (eInjury.03) has a value of 'Not Recorded' and Vehicular, Pedestrian, or Other Injury Risk Factor (eInjury.04) has a value of 'Not Recorded').
- 731 Additional Trauma Center Criteria must have a value when Destination Team Pre-Arrival Activation (eDisposition.25) has a value of 'Yes-Adult Trauma' and (Trauma Center Criteria (eInjury.03) has a value of 'Not Applicable' and Vehicular, Pedestrian, or Other Injury Risk Factor (eInjury.04) has a value of 'Not Applicable').
- 732 Additional Trauma Center Criteria must have a value when Destination Team Pre-Arrival Activation (eDisposition.25) has a value of 'Yes-Adult Trauma' and (Trauma Center Criteria (eInjury.03) has a value of 'Not Recorded' and Vehicular, Pedestrian, or Other Injury Risk Factor (eInjury.04) has a value of 'Not Applicable').
- 733 Additional Trauma Center Criteria must have a value when Destination Team Pre-Arrival Activation (eDisposition.25) has a value of 'Yes-Adult Trauma' and (Trauma Center Criteria (eInjury.03) has a value of 'Not Applicable' and Vehicular, Pedestrian, or Other Injury Risk Factor (eInjury.04) has a value of 'Not Recorded').

**ceAlertNoType - Alert No Type**

668 Alert No Type must have a value selected when Destination Team Pre-Arrival Activation (eDisposition.24) has a value of 'No'.

**ceStemiAlertExclusion - STEMI Alert Exclusion Criteria**

669 There must be at least one value selection from 'STEMI Alert Exclusion Criteria' when 'Alert No Type' has a value of 'No - STEMI'.

**ceStrokeAlertExclusion - Stroke Alert Exclusion**

670 There must be at least one value selection from 'Stroke Alert Exclusion Criteria' when 'Alert No Type' has a value of 'No - Stroke'.

**ceStrokeAssessmentDateTime - Stroke Assessment Date Time**

671 Stroke Assessment Date/Time must be provided each time Provider's Primary Impression (eSituation.11) has a value of 'I62.9'.

672 Stroke Assessment Date/Time must be provided each time Provider's Primary Impression (eSituation.11) has a value of 'I63.9'.

673 Stroke Assessment Date/Time must be provided each time Provider's Secondary Impression (eSituation.12) has a value of 'I62.9'.

674 Stroke Assessment Date/Time must be provided each time Provider's Secondary Impression (eSituation.12) has a value of 'I63.9'.

675 Stroke Assessment Date/Time must be provided each time Stroke Scale Score (eVitals.29) has a value of 'Negative'.

676 Stroke Assessment Date/Time must be provided each time Stroke Scale Score (eVitals.29) has a value of 'Non-Conclusive'.

677 Stroke Assessment Date/Time must be provided each time Stroke Scale Score (eVitals.29) has a value of 'Positive'.

**ceStrokeAssessmentTag - Stroke Assessment Group Tag**

678 Stroke Assessment Group must be created each time Provider's Primary Impression (eSituation.11) has a value of 'I62.9'.

679 Stroke Assessment Group must be created each time Provider's Primary Impression (eSituation.11) has a value of 'I63.9'.

680 Stroke Assessment Group must be created each time Provider's Secondary Impression (eSituation.12) has a value of 'I62.9'.

681 Stroke Assessment Group must be created each time Provider's Secondary Impression (eSituation.12) has a value of 'I63.9'.

682 Stroke Assessment Group must be created each time Stroke Scale Score (eVitals.29) has a value of 'Negative'.

683 Stroke Assessment Group must be created each time Stroke Scale Score (eVitals.29) has a value of 'Non-Conclusive'.

684 Stroke Assessment Group must be created each time Stroke Scale Score (eVitals.29) has a value of

**ceStrokeClosedEye - Stroke Closed Eye Limb Assessment**

685 Stroke Closed Eye Limb Assessment must be completed each time Provider's Primary Impression (eSituation.11) has a value of 'I62.9'.

686 Stroke Closed Eye Limb Assessment must be completed each time Provider's Primary Impression (eSituation.11) has a value of 'I63.9'.

687 Stroke Closed Eye Limb Assessment must be completed each time Provider's Secondary Impression (eSituation.12) has a value of 'I62.9'.

688 Stroke Closed Eye Limb Assessment must be completed each time Provider's Secondary Impression (eSituation.12) has a value of 'I63.9'.

- 689 Stroke Closed Eye Limb Assessment must be completed each time Stroke Scale Score (eVitals.29) has a value of 'Negative'.
- 690 Stroke Closed Eye Limb Assessment must be completed each time Stroke Scale Score (eVitals.29) has a value of 'Non-Conclusive'.
- 691 Stroke Closed Eye Limb Assessment must be completed each time Stroke Scale Score (eVitals.29) has a value of 'Positive'.

#### **ceStrokeMentalStatus - Stroke Mental Status**

- 692 Stroke Mental Status must be completed each time Provider's Primary Impression (eSituation.11) has a value of 'I62.9'.
- 693 Stroke Mental Status must be completed each time Provider's Primary Impression (eSituation.11) has a value of 'I63.9'.
- 694 Stroke Mental Status must be completed each time Provider's Secondary Impression (eSituation.12) has a value of 'I62.9'.
- 695 Stroke Mental Status must be completed each time Provider's Secondary Impression (eSituation.12) has a value of 'I63.9'.
- 696 Stroke Mental Status must be completed each time Stroke Scale Score (eVitals.29) has a value of 'Negative'.
- 697 Stroke Mental Status must be completed each time Stroke Scale Score (eVitals.29) has a value of 'Non-Conclusive'.
- 698 Stroke Mental Status must be completed each time Stroke Scale Score (eVitals.29) has a value of 'Positive'.

#### **ceStrokeNervousSystem - Stroke Nervous System Assessment**

- 699 Stroke Nervous System Assessment must be completed each time Provider's Primary Impression (eSituation.11) has a value of 'I62.9'.
- 700 Stroke Nervous System Assessment must be completed each time Provider's Primary Impression (eSituation.11) has a value of 'I63.9'.
- 701 Stroke Nervous System Assessment must be completed each time Provider's Secondary Impression (eSituation.12) has a value of 'I62.9'.
- 702 Stroke Nervous System Assessment must be completed each time Provider's Secondary Impression (eSituation.12) has a value of 'I63.9'.
- 703 Stroke Nervous System Assessment must be completed each time Stroke Scale Score (eVitals.29) has a value of 'Negative'.
- 704 Stroke Nervous System Assessment must be completed each time Stroke Scale Score (eVitals.29) has a value of 'Non-Conclusive'.
- 705 Stroke Nervous System Assessment must be completed each time Stroke Scale Score (eVitals.29) has a value of 'Positive'.

#### **ceStrokeOpenEye - Stroke Open Eye Limb Assessment**

- 706 Stroke Open Eye Limb Assessment must be completed each time Provider's Primary Impression (eSituation.11) has a value of 'I62.9'.
- 707 Stroke Open Eye Limb Assessment must be completed each time Provider's Primary Impression (eSituation.11) has a value of 'I63.9'.
- 708 Stroke Open Eye Limb Assessment must be completed each time Provider's Secondary Impression (eSituation.12) has a value of 'I62.9'.
- 709 Stroke Open Eye Limb Assessment must be completed each time Provider's Secondary Impression (eSituation.12) has a value of 'I63.9'.
- 710 Stroke Open Eye Limb Assessment must be completed each time Stroke Scale Score (eVitals.29) has a value of 'Negative'.
- 711 Stroke Open Eye Limb Assessment must be completed each time Stroke Scale Score (eVitals.29) has a value of 'Non-Conclusive'.

712 Stroke Open Eye Limb Assessment must be completed each time Stroke Scale Score (eVitals.29) has a value of 'Positive'.

#### **eDisposition.24 - Destination Team Pre-Arrival Activation**

- 126 Destination Team Pre-Arrival Activation (eDisposition.24) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Death at Scene-Transported by EMS".
- 127 Destination Team Pre-Arrival Activation (eDisposition.24) must have a value when Date/Time of Destination Pre-Arrival Activation (eDisposition.25) has a date/time value.
- 646 Destination Team Pre-Arrival Activation must have a value of either No or Yes - Stroke when Provider's Primary Impression (eSituation.11) has a value of 'I62.9'.
- 647 Destination Team Pre-Arrival Activation must have a value of either No or Yes - Stroke when Provider's Primary Impression (eSituation.11) has a value of 'I63.9'.
- 648 Destination Team Pre-Arrival Activation must have a value of either No or Yes - Stroke when Provider's Secondary Impression (eSituation.12) has a value of 'I62.9'.
- 649 Destination Team Pre-Arrival Activation must have a value of either No or Yes - Stroke when Provider's Secondary Impression (eSituation.12) has a value of 'I63.9'.
- 650 Destination Team Pre-Arrival Activation must have a value of either No or Yes - Stroke when Stroke Scale Score (eVitals.29) has a value of 'Negative'.
- 651 Destination Team Pre-Arrival Activation must have a value of either No or Yes - Stroke when Stroke Scale Score (eVitals.29) has a value of 'Non-Conclusive'.
- 652 Destination Team Pre-Arrival Activation must have a value of either No or Yes - Stroke when Stroke Scale Score (eVitals.29) has a value of 'Positive'.
- 653 Destination Team Pre-Arrival Activation must have a value of either No or Yes - STEMI when Provider's Primary Impression (eSituation.11) has a value of 'I21.0'.
- 654 Destination Team Pre-Arrival Activation must have a value of either No or Yes - STEMI when Provider's Primary Impression (eSituation.11) has a value of 'I21.1'.
- 655 Destination Team Pre-Arrival Activation must have a value of either No or Yes - STEMI when Provider's Primary Impression (eSituation.11) has a value of 'I21.2'.
- 656 Destination Team Pre-Arrival Activation must have a value of either No or Yes - STEMI when Provider's Primary Impression (eSituation.11) has a value of 'I21.3'.
- 657 Destination Team Pre-Arrival Activation must have a value of either No or Yes - STEMI when Provider's Primary Impression (eSituation.11) has a value of 'I21.4'.
- 658 Destination Team Pre-Arrival Activation must have a value of either No or Yes - STEMI when Provider's Secondary Impression (eSituation.12) has a value of 'I21.0'.
- 659 Destination Team Pre-Arrival Activation must have a value of either No or Yes - STEMI when Provider's Secondary Impression (eSituation.12) has a value of 'I21.1'.
- 660 Destination Team Pre-Arrival Activation must have a value of either No or Yes - STEMI when Provider's Secondary Impression (eSituation.12) has a value of 'I21.2'.
- 661 Destination Team Pre-Arrival Activation must have a value of either No or Yes - STEMI when Provider's Secondary Impression (eSituation.12) has a value of 'I21.3'.
- 662 Destination Team Pre-Arrival Activation must have a value of either No or Yes - STEMI when Provider's Secondary Impression (eSituation.12) has a value of 'I21.4'.
- 663 Destination Team Pre-Arrival Activation must have a value of either No or Yes - STEMI when Cardiac Rhythm/Electrocardiography (ECG) (eVitals.03) has a value of 'STEMI Anterior Ischemia'.
- 664 Destination Team Pre-Arrival Activation must have a value of either No or Yes - STEMI when Cardiac Rhythm/Electrocardiography (ECG) (eVitals.03) has a value of 'STEMI Inferior Ischemia'.
- 665 Destination Team Pre-Arrival Activation must have a value of either No or Yes - STEMI when Cardiac Rhythm/Electrocardiography (ECG) (eVitals.03) has a value of 'STEMI Lateral Ischemia'.
- 666 Destination Team Pre-Arrival Activation must have a value of either No or Yes - STEMI when Cardiac Rhythm/Electrocardiography (ECG) (eVitals.03) has a value of 'STEMI Posterior Ischemia'.
- 667 Destination Team Pre-Arrival Activation must have a value of either No or Yes - Trauma when Possible Injury (eSituation.02) has a value of 'Yes'.

- 928 Destination Team Pre-Arrival Activation (eDisposition.24) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Refused Evaluation/Care (With Transport)".
- 929 Destination Team Pre-Arrival Activation (eDisposition.24) cannot equal "Not Applicable" when Incident Patient/Disposition (eDisposition.12) has a value of "Patient Treated, Transported by EMS".

**eDisposition.25 - Date/Time of Destination Prearrival Activation**

- 128 Date/Time of Destination Pre-Arrival Activation (eDisposition.25) cannot equal "Not Applicable" when Destination Team Pre-Arrival Activation (eDispositon.24) has a value of "Yes-Adult Trauma".
- 129 Date/Time of Destination Pre-Arrival Activation (eDisposition.25) cannot equal "Not Recorded" when Destination Team Pre-Arrival Activation (eDispositon.24) has a value of "Yes-Adult Trauma".
- 130 Date/Time of Destination Pre-Arrival Activation (eDisposition.25) cannot equal "Not Applicable" when Destination Team Pre-Arrival Activation (eDispositon.24) has a value of "Yes-Cardiac Arrest".
- 131 Date/Time of Destination Pre-Arrival Activation (eDisposition.25) cannot equal "Not Recorded" when Destination Team Pre-Arrival Activation (eDispositon.24) has a value of "Yes-Cardiac Arrest".
- 132 Date/Time of Destination Pre-Arrival Activation (eDisposition.25) cannot equal "Not Applicable" when Destination Team Pre-Arrival Activation (eDispositon.24) has a value of "Yes-Obstetrics".
- 133 Date/Time of Destination Pre-Arrival Activation (eDisposition.25) cannot equal "Not Recorded" when Destination Team Pre-Arrival Activation (eDispositon.24) has a value of "Yes-Obstetrics".
- 134 Date/Time of Destination Pre-Arrival Activation (eDisposition.25) cannot equal "Not Applicable" when Destination Team Pre-Arrival Activation (eDispositon.24) has a value of "Yes-Other".
- 135 Date/Time of Destination Pre-Arrival Activation (eDisposition.25) cannot equal "Not Recorded" when Destination Team Pre-Arrival Activation (eDispositon.24) has a value of "Yes-Other".
- 136 Date/Time of Destination Pre-Arrival Activation (eDisposition.25) cannot equal "Not Applicable" when Destination Team Pre-Arrival Activation (eDispositon.24) has a value of "Yes-Pediatric Trauma".
- 137 Date/Time of Destination Pre-Arrival Activation (eDisposition.25) cannot equal "Not Recorded" when Destination Team Pre-Arrival Activation (eDispositon.24) has a value of "Yes-Pediatric Trauma".
- 138 Date/Time of Destination Pre-Arrival Activation (eDisposition.25) cannot equal "Not Applicable" when Destination Team Pre-Arrival Activation (eDispositon.24) has a value of "Yes-STEMI".
- 139 Date/Time of Destination Pre-Arrival Activation (eDisposition.25) cannot equal "Not Recorded" when Destination Team Pre-Arrival Activation (eDispositon.24) has a value of "Yes-STEMI".
- 140 Date/Time of Destination Pre-Arrival Activation (eDisposition.25) cannot equal "Not Applicable" when Destination Team Pre-Arrival Activation (eDispositon.24) has a value of "Yes-Stroke".
- 141 Date/Time of Destination Pre-Arrival Activation (eDisposition.25) cannot equal "Not Recorded" when Destination Team Pre-Arrival Activation (eDispositon.24) has a value of "Yes-Stroke".

**eInjury.03 - Trauma Center Criteria**

- 722 Trauma Center Criteria (eInjury.03) cannot equal "Not Recorded" when Destination Team Pre-Arrival Activation (eDisposition.25) has a value of "Yes-Adult Trauma" and (Vehicular, Pedestrian, or Other Injury Risk Factor (eInjury.04) has a value of "Not Recorded" or Additional Trauma Triage Criteria does not have a value).
- 723 Trauma Center Criteria (eInjury.03) cannot equal "Not Recorded" when Destination Team Pre-Arrival Activation (eDisposition.25) has a value of 'Yes-Adult Trauma' and (Vehicular, Pedestrian, or Other Injury Risk Factor has a pertinent value of "Not Applicable" or Additional Trauma Triage Criteria does not have a value).
- 724 Trauma Center Criteria (eInjury.03) cannot equal "Not Applicable" when Destination Team Pre-Arrival Activation (eDisposition.25) has a value of 'Yes-Pediatric Trauma' and (Vehicular, Pedestrian, or Other Injury Risk Factor has a pertinent value of "Not Recorded" or Additional Trauma Triage Criteria does not have a value).
- 725 Trauma Center Criteria (eInjury.03) cannot equal "Not Applicable" when Destination Team Pre-Arrival Activation (eDisposition.25) has a value of 'Yes-Pediatric Trauma' and (Vehicular, Pedestrian, or Other Injury Risk Factor has a pertinent value of "Not Applicable" or Additional Trauma Triage Criteria does not have a value).

**eInjury.04 - Vehicular, Pedestrian, or Other Injury Risk Factor**

- 726 Vehicular, Pedestrian, or Other Injury Risk Factor (eInjury.04) cannot equal "Not Recorded" when Destination Team Pre-Arrival Activation (eDisposition.25) has a value of 'Yes-Adult Trauma' and (Trauma Center Criteria (eInjury.03) has a value of "Not Recorded" or Additional Trauma Triage Criteria does not have a value).
- 727 Vehicular, Pedestrian, or Other Injury Risk Factor (eInjury.04) cannot equal "Not Recorded" when Destination Team Pre-Arrival Activation (eDisposition.25) has a value of 'Yes-Adult Trauma' and (Trauma Center Criteria (eInjury.03) has a "Not Applicable" or Additional Trauma Triage Criteria does not have a value).
- 728 Vehicular, Pedestrian, or Other Injury Risk Factor (eInjury.04) cannot equal "Not Applicable" when Destination Team Pre-Arrival Activation (eDisposition.25) has a value of 'Yes-Pediatric Trauma' and (Trauma Center Criteria (eInjury.03) has a value of "Not Recorded" or Additional Trauma Triage Criteria does not have a value).
- 729 Vehicular, Pedestrian, or Other Injury Risk Factor (eInjury.04) cannot equal "Not Applicable" when Destination Team Pre-Arrival Activation (eDisposition.25) has a value of 'Yes-Pediatric Trauma' and (Trauma Center Criteria (eInjury.03) has a value of "Not Applicable" or Additional Trauma Triage Criteria does not have a value).

## Close Out

### Response.12 - Type of Turn-Around Delay

- 540 Type of Turn-Around Delay (eResponse.12) cannot equal "Not Applicable".
- 636 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "Clean-up" and a value of "None/No Delay" at the same time.
- 944 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "Decontamination" and a value of "None/No Delay" at the same time.
- 945 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "Distance" and a value of "None/No Delay" at the same time.
- 946 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "Documentation" and a value of "None/No Delay" at the same time.
- 947 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "ED Overcrowding/Transfer of Care" and a value of "None/No Delay" at the same time.
- 948 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "Equipment Failure" and a value of "None/No Delay" at the same time.
- 949 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "Equipment/Supply Replenishment" and a value of "None/No Delay" at the same time.
- 950 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "Other (Not Listed)" and a value of "None/No Delay" at the same time.
- 951 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "Rendezvous Turn-Around Unavailable" and a value of "None/No Delay" at the same time.
- 952 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "Route Obstruction (e.g. Train)" and a value of "None/No Delay" at the same time.
- 953 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "Staff Delay" and a value of "None/No Delay" at the same time.
- 954 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "Traffic" and a value of "None/No Delay" at the same time.
- 955 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "Vehicle Crash of this Unit" and a value of "None/No Delay" at the same time.
- 956 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "Vehicle Failure of this unit" and a value of "None/No Delay" at the same time.
- 957 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "Weather" and a value of "None/No Delay" at the same time.
- 958 Type of Turn-Around Delay (eResponse.12) cannot equal a value of "EMS Crew Accompanies Patient for Facility Procedure" and a value of "None/No Delay" at the same time.

**eResponse.22 - Ending Odometer Reading of Responding Vehicle**

- 541 Ending Odometer Reading of Responding Vehicle (eResponse.22) must be greater than or equal to Beginning Odometer Reading of Responding Vehicle (eResponse.19).
- 640 Ending Odometer Reading of Reponding Vehicle (eResponse.22) must be submitted when Beginning Odemeter Reading of Resonding Vehicle (eResponse.19) is entered.

**eTimes.14 - Unit Canceled Date/Time**

- 537 Unit Canceled Date/Time (eTimes.14) cannot equal "Not Recorded" when Incident/Patient Disposition (eDisposition.12) has a value of "Canceled (Prior to Arrival At Scene)".
- 538 Unit Canceled Date/Time (eTimes.14) cannot equal "Not Applicable" when Incident/Patient Disposition (eDisposition.12) has a value of "Canceled (Prior to Arrival At Scene)".
- 539 Unit Canceled Date/Time (eTimes.14) cannot equal "Not Recorded" when Incident/Patient Disposition (eDisposition.12) has a value of "No Patient Contact (Canceled on Scene)".
- 542 Unit Canceled Date/Time (eTimes.14) cannot equal "Not Applicable" when Incident/Patient Disposition (eDisposition.12) has a value of "No Patient Contact (Canceled on Scene)".
- 543 Unit Canceled Date/Time (eTimes.14) cannot equal "Not Recorded" when Incident/Patient Disposition (eDisposition.12) has a value of "No Patient Found (Canceled on Scene)".
- 544 Unit Canceled Date/Time (eTimes.14) cannot equal "Not Applicable" when Incident/Patient Disposition (eDisposition.12) has a value of "No Patient Found (Canceled on Scene)".
- 551 Unit Canceled Date/Time (eTimes.14) must be less than or equal to Back in Service Date/Time (eTimes.13)